

1-800-717-1075 Fax: 1-800-717-3288 Made in the U.S.A.

# making a difference

Accessing technology at anytime and anywhere, working safely within different healthcare environments, and enhancing productivity are just some of the ways that we are making a difference in mobile computing. Below are other ways you'll see why Altus is differentiating itself in today's healthcare market.

#### 1. Ease of Mobility:

Giving you a **lightweight** (as low as 34 lbs.) and highly mobile solution (100 mm rollerblade casters) helps assist you with delivering technology where you need it.

#### 2. True Sit to Stand adjustment capability:

Ascend®™ lift technology offers 18" of effortless height adjustment range. With the added bonus of an easy height adjustment hand lever.

#### 3. Small footprint:

With our cart being only 18" wide, we are helping you fit into tight spaces.

#### 4. Ships fully assembled:

Saving you time and money.

#### 5. Color Choices:

Three solid, two abstract and four wood grain 3D Laminate worksurface colors equals multiple choices for you.

#### 6. Customization:

There are various needs for every healthcare environment. That is why customization is key. Let our professional sales and engineering team help you with customizing your cart.

#### 7. Technology Security:

Keyed and keyless accessibility provides theft-protection securing laptops, thin-clients and even patient records.

#### 8. Storage:

A little extra storage can go a long way, keyless accessibility a lot farther. Our optional Keyless Lock System provides theft-protection for regulated supplies and much more.

#### 9. Accessories & Options:

Customize your cart with the accessories you require. Only pay for accessories you will use.

#### 10. Sustainable Design:

Environmentally safe products that help you move toward making a healthy working environment. Our carts and all other Sit-to-Stand Adjustable Mobile Workstations are 95 percent recyclable.





# laptop carts

18"

H Class Laptop Cart HLC7P

Lower Surface 20"W x 20"D



Upper Surface

8"W x 9"D

20"



Model Number Worksurface Dimensions HLC7P-XX-YYYY 20"D x 20"W

**Base Dimensions** 18"W x 20"D

Weight 42 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

Base

• Reference: A18P - Polished

- 18" Height Adjustment (29" 47")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 18"W x 20"D Footprint
- · Height Adjustment Hand Lever

#### Worksurface

- Reference: TL2020
- 1" Dual Surface 20"W x 20"D
- Integrated Laptop Security System Keyed
- Adjustable Upper Surface
- 3 Cable Management Grommet Holes
- Integrated Black Vinyl Palm Support

#### Accessory


• Reference: SAM-2 (Swing A Mouse) 8"W x 9"D


· Standard Color: 0141 (Cloud)



- 1" 3D Laminate with slope edge
- For Additional Color Options See Pg. 14







#### **Key Features:**



Adjustable Upper Surface Laptop Security Spacing: 2",2.5", 3"H 20"W x 9"D, No Tools Required



Laptop Lock w/Key for Security & HIPPA



Cable Management



Back Detail of Laptop Security



Detail of Sloped Edge Worksurface (allows more viewable area of laptop screen)



Swing A Mouse (SAM2) 8"W x 9"D



Height Adjustment Hand Lever



Palm Support



100mm Highly Mobile Casters 2 Locking/2 Non-Locking



# laptop carts

Kidney Locking Laptop Cart COW57P

32"



Worksurface Dimensions Model Number COW57P-XX-YYYY 22"D x 32"W

**Base Dimensions** 18"W x 20"D

Weight 41 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

- Reference: A18P Polished
- 18" Height Adjustment (29" 47")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 18"W x 20"D Footprint
- · Height Adjustment Hand Lever


#### Worksurface

- · Reference: TKL2232
- 1" Kidney Surface 32"W x 22"D
- · Laptop Security System Keyed w/cable & 2 grommet holes

· Standard Color: 0141 (Cloud)



- 1" 3D Laminate with slope edge
- · For Additional Color Options See Pg. 14



ANSI/BIFMA Compliant CARB 93120 Compliant



Adjustable Laptop

## Kidney Laptop Cart COW85P

18



Model Number COW85P-XX-YYYY 22"D x 32"W

Worksurface Dimensions

**Base Dimensions** 18"W x 20"D

Weight 34 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

- Reference: A18P Polished
- 18" Height Adjustment (29" 47")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 18"W x 20"D Footprint
- · Height Adjustment Hand Lever

#### Worksurface

- · Reference: TK2232
- 1" Kidney Surface 32"W x 22"D

#### Color

· Standard Color: 0141 (Cloud)



- 3/4" 3D Laminate with waterfall edge
- · For Additional Color Options See Pg. 14



ANSI/RIFMA Compliant CARR 93120

Compliant

## Laptop Cart COW10P



Model Number

Worksurface Dimensions

COW10P-XX-YYYY 24"D x 24"W

**Base Dimensions** 24"W x 24"D

Weight 47 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

- Reference A9P Polished
- 18" Height Adjustment (29" 47")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 24"W x 24"D Footprint
- · Height Adjustment Hand Lever

#### Worksurface

- · Reference: TL2424
- 1" Dual Surface 24"W x 24"D
- · Same Surface height for Keyboard and Mouse
- Laptop Security Keyed
- Integrated Black Vinyl Palm Support

· Standard Color: 0141 (Cloud)



- 1" 3D Laminate reversed tear drop edge
- For Additional Color Options See Pg 14



ANSI/BIFMA Compliant CARB 93120

Compliant





# flat panel / closed laptop carts



Lower Surface

20"W x 23"D

H Class Flat Panel / Closed Laptop Cart HHC7P

20"



8"W x 9"D

20"

Model Number HHC7P-XX-YYYY Worksurface Dimensions 23"D x 20"W

**Base Dimensions** 18"W x 20"D

Weight 48 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

• Reference: A18P - Polished

- 18" Height Adjustment (29" 47")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
   18"W x 20"D Footprint

- · Height Adjustment Hand Lever

#### Worksurface

- · Reference: TH2320
- 1" Dual Surface 23"W x 20"DLaptop Security System Keyed
- Adjustable Upper Surface
- 3 Cable Management Grommet Holes Upper Surface
  - Integrated Black Vinyl Palm Support


#### Accessory

- Reference: SAM-2 (Swing A Mouse) 8"W x 9"D
- Reference: FSA-2 (Flat Panel Monitor Arm)

· Standard Color: 0141 (Cloud)



- 1" 3D Laminate reversed tear drop edge
- For Additional Color Options See Pg. 14



ANSI/BIFMA Compliant

CARB 93120 Compliant



18"



Flat Screen Monitor Arm (FSA-2), 16" Height Adj., +100°/-40° Tilt, +/- 90° Swivel, +/- 180° Rotation, VESA Std., 75mm or 100mm



Closed Laptop Used as CPU Secured Between Upper and Lower Surfaces



Adjustable Upper Surface Laptop Security Spacing: 2",2.5", 3"H 20"W x 12.25"D, No Tools Required



Laptop Lock w/Key for Security & HIPPA



Back Detail of Laptop Security



Swing A Mouse (SAM-2) Swivel Mouse, 8"W x 9"D Black Finish, Worksurface Mount



Height Adjustment Hand Lever



Black Vinyl Palm Support



100mm Highly Mobile Casters 2 Locking/2 Non-Locking



# flat panel carts

20"

H Class Flat Panel Cart HMC7P



16"

8"W x 9"D

20"

Model Number HMC7P-XX-YYYY Worksurface Dimensions 20"D x 20"W

**Base Dimensions** 18"W x 20"D

Weight 38 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

- Reference: A18P Polished
- 18" Height Adjustment (29" 47")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 18"W x 20"D Footprint
- Height Adjustment Hand Lever

#### Worksurface

- Reference: TF2020
- 1" Flat Panel Surface 20"W x 20"D3 Cable Management Grommet Holes
- Integrated Black Vinyl Palm Support

#### Accessory

- Reference: SAM-2 (Swing A Mouse) 8"W x 9"D
- Reference: FSA-2 (Flat Panel Monitor Arm)

#### Color


· Standard Color: 0141 (Cloud)



- 1" 3D Laminate reversed tear drop edge
- For Additional Color Options See Pg. 14

#### NOTE: CPU holder options:

- CPU-VESA
- CPU-2 CPU-1
- \*See Accessory Section, page 10



ANSI/BIFMA Compliant

CARB 93120 Compliant

#### Key Features:



Flat Screen Monitor Arm (FSA-2), 16" Height Adj., +100'/-40° Tilt, +/- 90° Swivel, +/- 180° Rotation, VESA Std., 75mm or 100mm



Height Adjustment Hand Lever



Swing A Mouse (SAM2) Swivel Mouse, 8"W x 9"D Black Finish, Worksurface Mount



Black Vinyl Palm Support



100mm Highly Mobile Casters 2 Locking/2 Non-Locking



**Ultrasound Laptop Cart** 



Model Number COW56P-XX-YYYY Worksurface Dimensions 22"D x 32"W

Base Dimensions 24"W x 24"D

Weight 40 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

• Reference: A9P - Polished

18" Height Adjustment (29" - 47")
 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)

• 24"W x 24"D Footprint

Height Adjustment Hand Lever

#### Worksurface

- · Reference: GE2232
- 1" Kidney Surface 32"W x 22"D
- 4 Probe Nests & 2 Gel Holders

· Standard Color: 0141 (Cloud)



• 1" 3D Laminate reversed tear drop edge For Additional Color Options See Pg. 14



ANSI/BIFMA Compliant

CARB 93120 Compliant



# Phlebotomy Cart



\*Phlebotomy Tray not included.

Model Number

MED91PNL-XX-YYYY (no lock) MED91PWL-XX-YYYY (w/KLS lock) Worksurface Dimensions

26"D x 20"W 26"D x 20"W Base Dimensions 18"W x 20"D 18"W x 20"D

Weight 38 lbs. 39 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

- Reference: A18P Polished
- 18" Height Adjustment (29" 47")
  100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
  18"W x 20"D Footprint
- Height Adjustment Hand Lever

## Worksurface

- Reference: TP2620
- 1" Phlebotomy Front Surface 20"W x 9.25"D
- Phlebotomy Tray Area 19"W x 3"H x 12.25"D


#### Accessory

- · Reference: HFH (Utility Basket)
- Reference: **SC** (Sharps Container)

· Standard Color: 0141 (Cloud)



- 1" 3D Laminate Eased Edge
- · For Additional Color Options See Pg. 14



ANSI/BIFMA Compliant

CARB 93120 Compliant



## **Document Cart** NDS61P



Model Number NDS61P-XX-YYYY

Worksurface Dimensions 24"D x 30"W

**Base Dimensions** 24"W x 24"D

Weight 40 lbs.

(XX = counterbalance system - refer to pg.13, YYYY = worksurface color, refer to pg.14)

• Reference A9P - Polished

• 18" Height Adjustment (29" - 47")

100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking) • 24"W x 24"D Footprint

Height Adjustment Hand Lever

#### Worksurface

- Reference TR2430
- 1" Rectangle 30"W x 24"D

## Color

· Standard Color: 0141 (Cloud)



- 1" 3D Laminate Eased Edge



Compliant CARB 93120 Compliant

ANSI/BIFMA





# pole carts

P Class Laptop Pole Cart PI 9P



Model Number Pole Dimensions PL9P-YYYY 2.5"D x 4"W x 48"H (YYYY = worksurface color, refer to pg.14)

W/S Dimensions 18"W x 28"D

**Base Dimensions** 24"W x 22"D

Weight 33 lbs.





Assembly Required

# Base

- Reference: P38 Polished
- · 33" Height Adjustment
- 100mm Highly Mobile Rollerblade Casters
- (2 Locking/2 Non-Locking) 24"W x 22"D Footprint


#### Worksurface

- · Reference: TK1828
- 1" Kidney 28"W x 18"D
- Single Knob Adjustment

• Standard Color: 0141 (Cloud)



- 1" 3D Laminate Reversed Teardrop Edge
- · For Additional Color Options See Pg. 14



ANSI/RIFMA Compliant CARR 93120 Compliant





Stylish Edge Detail/ No Seams 3D Laminate Construction is Durable & Cleanable



Knob for Worksurface Height Adjustment



100mm Highl 2 Locking/2 Non-Locking

## P Class Flat Panel Pole Cart PF9P



Model Number Pole Dimensions PF9P-YYYY

2.5"D x 4"W x 66"H (YYYY = worksurface color, refer to pg.14)

W/S Dimensions 18"W x 28"D

**Base Dimensions** 24"W x 22"D

Weight 37 lbs.

ANSI/BIFMA

CARB 93120

Compliant

#### Base

- · Reference: P39 Polished
- 51" Height Adjustment
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 24"W x 22"D Footprint
- VESA Monitor Mount


#### Worksurface

- Reference: TK1828
- 1" Kidney 28"W x 18"D
- Single Knob Adjustment

• Standard Color: 0141 (Cloud)



- 1" 3D Laminate Reversed Teardrop Edge
- · For Additional Color Options See Pg. 14



2 Locking/2 Non-Locking

Key Features:





Stylish Edge Detail/ No Seams 3D Laminate Construction is Durable

Assembly Required

110 North Front Street, Suite 402, Belleville, ON K8P 0A6 Order@hospitalcarts.ca



## medical drawer carts

# Medical Drawer Laptop Cart



\*Photo shown as MFD80P

Medical Drawer Laptop Cart Reference:

MED80P - Includes Medical Drawer (Ref. MD-30),

MED81P - Includes Medical Drawer (Ref. MD-31), No Keyless Lock, Removable Insert, Integrated Handle

MED82P - Includes Chart Pocket (Ref. MD-32) (18.5"W x 2"H x 9"D)

Model Number Worksurface Dimensions **Base Dimensions** Weight MED80P-XX-YYYY (w/ lock) 20"D x 20"W 18"W x 20"D 50 lbs. MED81P-XX-YYYY (no lock) 20"D x 20"W 49 lbs. 18"W x 20"D MED82P-XX-YYYY (w/chart pocket) 20"D x 20"W 18"W x 20"D 46 lbs. (XX = counterbalance system - refer to pg. 17, YYYY = worksurface color, refer to pg. 18)

- · Reference: A18P Polished
- · 18" Height Adjustment (28.5" 46.5")
- 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- 18"W x 20"D Footprint
- · Height Adjustment Hand Lever

#### Worksurface

- · Reference: TL2020
- 1" Square Surface 20"W x 20"D
- · 3 Cable Management Grommet Holes
- Integrated Black Vinyl Palm Support

#### Accessory


· Reference: SAM-3 (Swing-A-Mouse) 8"W x 9"D

#### Color

· Standard Color: 0141 (Cloud)



- 1" 3D Laminate reversed tear drop edge
- For Additional Color Options See Pq. 18



Compliant

CARB 93120



Drawer front available in matching 3D Laminate





Keyless Security System (KLS) for Front Storage (MED-80P Only)



Pull-Out Drawer with Removable Insert (Incl.) Drw. & Ins. Dimensions: 18.44"W x 2.2"H x 8.75"D Six Compartments 4 - 2.625"W x 2.125"H x 8.5"D 2 - 2.625"W x 2.125"H x 7.70 (MED-80P & MED-81P Only



Back Compartment with Locking Panel Secures Technology Components and provides Cable Management

Weight

52 lbs.

51 lbs.

49 lbs.

Chart Pocket Inside Dimensions 18.5\*W x 2\*H x 9\*D (MED82P Only)

## Medical Drawer Flat Panel Cart



Medical Drawer Flat Panel Cart Reference:

MED70P - Includes Medical Drawer (Ref. MD-40), Keyless Lock, Removable Insert, Integrated Handle MED71P - Includes Medical Drawer (Ref. MD-41), No Keyless Lock, Removable Insert, Integrated Handle MED72P - Includes Chart Pocket (Ref. MD-42), (18.5"W x 2"H x 9"D)

## Model Number

MED70P-XX-YYYY (w/ lock) 23"D x 20"W MED71P-XX-YYYY (no lock) MED72P-XX-YYYY (w/chart pocket)

18"W x 20"D 23"D x 20"W 18"W x 20"D 23"D x 20"W 18"W x 20"D (XX = counterbalance system - refer to pg.17, YYYY = worksurface color, refer to pg.18)

Worksurface Dimensions

#### Base

- · Reference: A18P Polished
- 18" Height Adjustment (28.5" 46.5")
- · 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking)
- · 18"W x 20"D Footprint
- · Height Adjustment Hand Lever

#### Worksurface

- · Reference: TF2320
- 1" Dual Surface 20"W x 23"D
- · 3 Cable Management Grommet Holes
- Integrated Black Vinyl Palm Support

- Reference: SAM-3 (Swing-a-Mouse)
- · Reference: FSA-2 (Flat Screen Monitor Arm)


#### Color

· Standard Color: 0141 (Cloud)



 1" 3D Laminate -Reversed Tear Drop Edge · For Additional Color Options

See Pg. 18



Base Dimensions



ANSI/BIFMA





Flat Screen Monitor Arm (FSA-2), 16" Height Adj., +100'/-40' Tilt, +/- 90' Swivel, +/- 180' Rotation, VESA Std., 75mm or 100mm





Keyless Security System (KLS) for Front Storage Compartment (MED-70P Only)



Pull-Out Drawer with Removable Insert (Incl.) Drw. & Ins. Dimensions: 18.44"W x 2.2"H x 8.75"D Six Compartments 4 - 2.625"W x 2.125"H x 8.5"D 2 - 2.625"W x 2.125"H x 7"D (MED-70P & MED-71P Only)



Secures Technology Components and provides Cable Management



# accessories

Customize your Altus cart to perform the exact task you desire by adding accessories. Please contact our Specials Group if the accessory (or exact product combination) you need is not listed. Altus welcomes the opportunity to build the custom accessory that meets your needs.

#### CPC-2

Coiled Power Cord

### Weight: 2 lbs.



1.5' Retract, 7.5' Extended 18/3 SJEOW 5-15P/R with 6" Axial Leads Hospital Grade - Dual Outlet Black Finish

**CMH** (15.5"W x 3"D x 2"H) **CMH-11** (11"W x 3"D x 2"H) **CMH-PC** 2 pc. - (5.75`"W x 3"D x 2"H) Cable Management Holder

#### Weight: 1 lb.



See Accessory Matrix for Correct Surface Use Includes Ré-usable Cable Ties Worksurface Mount Black Finish

# **UB-10**

Utility Basket Weight: 5 lb

storage systems

Stores Various Technology Components, Adjustable Securing Straps Included
Multiple Mounting Locations
Column Mount Black Finish

Retractable Powered Cable Reel

Weight: 5 lbs.



Hospital Grade 6.5" Diameter 10 AMP 120 V, 16/3 SJT Cord NEMA-5-15 Plug 10' Cord

## CM-2 Cable Manager

#### Weight: 1 lb.



5' of Flexible Semi-Rigid Wraparound Split Braided Tube Black Finish

# **HFH**

Utility Basket Weight: 5lbs.



Holds Various Folders & Files 12" W x 4"D x 10"H, Column Mount Black Finish

#### PDS-2

Tripp-Lite Power Distribution Strip


Weight: 3 lbs.



4 Hospital Grade AC Outlets 10' Cord Horizontal Mounting Bracket White finish

#### BCH Bar Code Holder

Weight: 1 lbs.



4"W x 6"D x 3.5"H Worksurface Mount Black Finish

#### SC **Sharps Container**

Weight: 3 lbs.



8 Quart Sharps Container 10.5"D x 7.25"W x 10"H Mailbox Lid Column Mount

#### PDS-3

Tripp-Lite Power Distribution Strip



4 AC Outlets with 4' Cord, **Dual-Lock Velcro Mounting** White Finish

# BCH-4

Cordless Bar Code Holder

### Weight: 1 lbs.



4.5"W x 5.5"D 90° Swivel Worksurface Mount Platinum Finish

#### **VS-10** Vital Signs Monitor Holder

Weight: 3 lbs.



5"W x 9.5"D Worksurface Mount Weight Limit Not to Exceed 10 lbs. Platinum Finish



# accessories

LR2-20 Laptop Riser

Weight: 4 lbs.



Extends Laptop 2" above Worksurface 20"W x 2"H x 7.5"D Added Back Storage Black Finish

## MD-20KLS

Pull-Out Med. Drawer with Keyless Security System

Weight: 6 lbs.

## MD-20NL

Pull-Out Med. Drawer Without Lock

Weight: 5 lbs.

## MD-20CP

Chart Pocket

Weight: 4 lbs.

#### Take your storage to new heights NEW Raises Laptop 6" above Worksurface



MD-20KLS



Drawer front available in matching woodgrain

for better viewing



Overall Dimensions 20"W x 7.75"H x 9"D

Inside Drawer Dimensions - 18.5"W x 2"H x 9"D Integrated Cable Management

3D Laminate

MD-1 Lockable Med, Drawer

Weight: 5 lbs.



6.5"Wx7D x 2"H Worksurface Mount Black Finish

CPU-1 CPU Holder

Weight: 10 lbs.



Adjustable Securing Straps Included 10"W x 8"D Column Mount Black Finish

CPU-2

Slim-Line CPU Holder

#### Weight: 6 lbs



Adjustable Securing Straps Included 10"W, 3.5"-6.5"D Column Mount Black Finish

CPU-Vesa **CPU Holder** 

#### Weight: 3 lbs.



Vesa Std. Mounting (75mm or 100mm) 8"W x 8.5"H x 1.35"D Column Mount Black Finish

#### SAM-2 Left Left-handed Swing a Mouse

Weight: 2 lbs.



8"W x 9"H Worksurface Mount Includes PAB for Dual Mousing Black Finish

# SAM-2

cpu holders

### Swing a Mouse

Weight: 2 lbs



8"W x 9"H Worksurface Mount Black Finish

### MH

## Mouse House

Weight: .5 lbs



2.75"W x 4"H x 1.5"D Adhesive Mount White Finish

#### **KBH**

Slide-out Keyboard Swivel Under Left/Right Mousing



19"W x 7.5"D \*Adds 3.25" to the Height of Cart 5.7" Arm Length 14" Track Length H Class Surfaces Only Black Finish



# accessories

IVP

IV Pole - Telescoping

Weight: 4 lbs.



Locking Collet Adjusts height from 22" to 40" Anodized aluminum tubing Weight Limit Not to Exceed 8 lbs.

## CH

Cart Handle - Stainless Steel

Weight: 1.5 lbs.



16"W x 4"D Rear Mount Stainless Steel

## **FUP**

Flip-Up Worksurface Extensions

Weight: 6 lbs.



10"W x 20"D Attaches to Most Worksurfaces Weight Limit Not to Exceed 10 lbs.

CP-2 Chart Pocket

Weight: 4 lbs.



Holds Various Items 17"Wx7.35"Dx3"H Worksurface Mount Black Finish

CF

miscellaneous

Cool Feet™ Laptop Adjustment

Weight: .5 lbs.



Set of 4 (2) 1" H and (2) .5" H, Keeps Laptop Cool Suction Cup Attachment Gray Finish

FSA-2

Flat Screen Monitor Arm

Weight: 3 lbs.




16" Height Adjustment +100°/-40° Tilt with +/- 90° Swivel +/- 180° Rotation VESA Std., 75mm or 100mm, Worksurface Mount Weight Limit Not to exceed 14 lbs. Polished Finish

CI

Cable Lock - Laptop Security

Weight: 2 lbs.



11.5"W x 1"D x 8"H
Swivels Closed Within Footprint
of Worksurface
Worksurface Mount
Weight Limit Not to Exceed 10 lbs.
Platinum Finish



6.5' Cable Worksurface Mount Gray Finish

### MPS-1 Multi-Purpose Shelf

'

Weight:14 lbs.



Adjustable Secure Strap Included 20"W x 12"D Column Mount Black Finish

#### MPS-3

Multi-Purpose Shelf

Weight: 10 lbs



Adjustable Secure Strap Included 10"W x 8"D, Column Mount Black Finish

## HC-4

Tente Heavy Duty Casters

Weight: 4 lbs. per set



Wheel Cover: Polypropylene Tread: Thermoplastic Rubber Precision Ball Bearings 2 locking 2 non-locking, Size: 100mm Tread width: 1.26" Gray Finish




# accessory matrix

Altus has made your accessory selection a snap. Find the cart you have selected. Under that, you will see which accessories are compatible with your selection.

There is a limit to how many accessories can be configured with each cart. Please contact customer service to see how we can assist in your configuration.







counterbalance system guideline

\*Depending on the total weight of your technology equipment and accessories, we offer three counterbalance systems for maximum performance.

The following guideline illustrates which system is best for your individual use. To start guideline equation, add model number weight + optional accessory(s) weight + technology component(s) weight.

# Model Number (includes worksurface and accessory) & Weights:



Model #	Included Surface Assembly	Included Accessory(s)	Total Weight
HLC7P	TL2020 (17 lbs.) +	SAM-2 (2 lbs.) =	: 19 lbs.
HHC7P	TH2320 (20 lbs.) +	SAM-2 (2 lbs.) + FSA-2 (3 lbs.) =	25 lbs.
HMC7P	TF2020 (10 lbs.) +	SAM-2 (2 lbs.) + FSA-2 (3 lbs.) =	: 15 lbs.
COW10P	TL2424 (22 lbs.)	N/A	22 lbs.
COW57P	TKL2232 (18 lbs.)	N/A	18 lbs.
COW85P	TK2232 (12 lbs.)	N/A	12 lbs.
COW56P	GE2232 (15 lbs.)	N/A	15 lbs.
MED91P	TP2620 (15 lbs.)	N/A	15 lbs.
NDS61P	TR2430 (20 lbs.)	N/A	20 lbs.

# Technology Component Estimated Weight:



Component	Weight
Laptop	6 lbs.
Flat Panel	8 lbs.
Keyboard & Mouse	2 lbs.

# Recommended Counterbalanced System:



Lite Duty (LD): Supports Lifting Loads: 0-12 lbs.

Standard Duty (SD): Supports Lifting Loads: 13-40 lbs.

Heavy Duty (HD): Supports Lifting Loads: 41-60 lbs.

# 2 Optional Worksurface Mounted Accessory(s) & Weights



Surface Mounted Accessory	Accessory Weight
ВСН	1 lbs.
BCH-4	1 lbs.
CF	0.5 lbs.
CH	1 lbs.
CMH	1 lbs.
CMH-11	1 lbs.
CMH-PC	1 lbs.
CM-2	1 lbs.
CP-2	4 lbs.
CPC-2	2 lbs.
DH-2	3 lbs.
FSA-2	3 lbs.
FUP	7 lbs.
IVP	4 lbs.
KBH	9 lbs.
LR2-20	4 lbs.
MH	0.5 lbs.
MD-1	5 lbs.
MD-20KLS	6 lbs.
MD-20NL	5 lbs.
MD-20CP	4 lbs.
PDS-2	3 lbs.
PDS-3	1 lbs.
RCR-M	5 lbs.
SAM-2	2 lbs.
SAM-2 Left	3 lbs.
VS-10	1 lbs.

## Counterbalance Guideline Step-by-Step Example:

	Surface (Included	d)	Accessory(s) (Included)		Optional Accessory		Technology Component	We	tal eight		Recommended System
Example #1: HLC7P:	TL2020	+	SAM-2	+	RCR-M	+	Laptop, Keyboard & Mouse				
weights:	17 lbs.	+	2 lbs.	+	5 lbs. +		8 lbs. =	32	lbs. =	=	Standard Duty System (SD)
Example #2: HHC7P:	TH2320	+	SAM-2 + FSA-2	+	RCR-M + PDS-2	+	Flat Panel, Laptop, Keyboard & Mouse				
weights:	20 lbs.	+	2 lbs. + 3 lbs.	+	5 lbs. + 3 lbs.	+	8 lbs. + 6 lbs. + 2 lbs. =	49	lbs. =	=	Heavy Duty (HD)