

INDEX

Storage & Handling Equipment for Healthcare

Click on an item to go instantly to its page

		Page
	• Features	2-5
Shelving System	• Wire Shelves	6
	• Posts	7
	• Solid Covers	7
	• Complete Wire Shelving Units – Stationary (Starter & Add-On Units)	8-9
	• Mobile Shelving Units	10
	• 3-Sided Enclosed Mobile Shelving Units	11
	• Enclosure Panels	12
	• Dolly Bases	13
	• Wheels and Casters	14
	• Accessories	15-18
	• Cantilever and Wall Shelf Units	19
	• Security Units, Carts and Modules	20
	• Mini Security Carts	21
	• Utility Carts	21
	• Dunnage Racks	22
	• Inverted Shelves	22
• Seismic Shelving System	23	
Floor Track System	• High Density Floor Track Storage System	24-25
Flexible System	• Baskets	25
	• Stacking Baskets and Shelves Carts	26
	• Stacking Baskets and Suture Carts	27
I.V. Solution Carts	• I.V. Carts	27
Tubular Carts	• Tubular / Supply Carts	28
	• Tubular Supply and Drawer Carts	29
	• Accessories	30
	• Windsor Cart	31
Over the Road Carts	• London Cart	31
	• Heavy Duty Over the Road Cart	31
	• Offsite Distribution Cart	31
	• Monitor Cart	32
Specialty Carts	• Computer Car	32
	• Supply Cart	32
	• Work Station Units and Carts	35
	• Ward Carts	36-39
	• Apparel Carts	33
	• Uniform / Coat Racks	33
	• Storage Bins	34
	• Floor Service Cart	34
	• Hamper Carts	35
	• Express Carts	40
	• Cylinder Cart	40
	• Push Cart	40
	• Rolling Desk	41
	• Mail Carts	41
	• Components	42-46
	Flexible System	
Terms & Conditions		56

SHELVING SYSTEM

Our wire shelving offers quality and value in a full range of sizes.

Available finishes are Nickel-Chrome, Tech-Seal® and Stainless Steel.

A variety of wire accessories allows the creation of carts and shelving for diverse storage and distribution purposes. See pages 6 to 24.



FLEXIBLE SHELVING AND BASKET SYSTEMS

Combine flat/sloped shelving with baskets and plastic drawers/shelf bins to allow customization of supply carts to meet specific product storage requirements. See pages 25 and 26.



FLEXIBLE SHELVING SYSTEM

Allows for a variety of products and storage configurations.

Flat and sloped shelves, baskets and numerous accessories are available.

Changes to product configuration are done easily and quickly and require no tools. Available stationary or with casters. See pages 40 to 44.




EXCHANGE CART SYSTEM

Traditional supply carts built with 1¼" (31.7mm) round steel tubing offer durability combined with high capacity. Drawers can be divided in 1" (25mm) increments to accommodate small supplies, and shelves are hand adjustable to hold large items. Carts move quietly on 6" (152mm) neoprene casters. See pages 30 to 32.



SHELVING SYSTEM

Wire Shelves — Sizes & Finishes



Wire Shelf

Shelf Load Capacity (evenly distributed static load)

Shelves up to 48" (1220mm) in length have a 1000 pound (454kg) capacity.

Shelves up to 60" (1524mm) in length have an 800 pound (363kg) capacity.

Shelves up to 72" (1829mm) in length have a 600 pound (272kg) capacity.



Starter Unit



Clips (PCC)
4 Clips are shipped with each intermediate shelf.
(No charge)

WIRE SHELVES

Nominal Size		Weight		Finish	Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®	Stainless
				Cat. No.	Cat. No.	Cat. No.
12x24	305x610	6.0	2.7	1224R	T1224R	S1224R
12x30	305x762	7.5	3.4	1230R	T1230R	S1230R
12x36	305x915	9.0	4.1	1236R	T1236R	S1236R
12x42	305x1067	9.5	4.3	1242R	T1242R	S1242R
12x48	305x1220	10.0	4.6	1248R	T1248R	S1248R
12x54	305x1372	10.5	4.8	1254R	T1254R	S1254R
12x60	305x1524	12.5	5.7	1260R	T1260R	S1260R
12x72	305x1829	14.5	6.6	1272R	T1272R	S1272R
15x24	381x610	6.5	3.0	1524R	T1524R	S1524R
15x30	381x762	8.0	3.6	1530R	T1530R	S1530R
15x36	381x915	9.5	4.3	1536R	T1536R	S1536R
15x42	381x1067	10.5	4.8	1542R	T1542R	S1542R
15x48	381x1220	11.5	5.2	1548R	T1548R	S1548R
15x54	381x1372	12.5	5.7	1554R	T1554R	S1554R
15x60	381x1524	14.0	6.4	1560R	T1560R	S1560R
15x72	381x1829	17.0	7.7	1572R	T1572R	S1572R
18x24	457x610	7.0	3.2	1824R	T1824R	S1824R
18x30	457x762	8.5	3.9	1830R	T1830R	S1830R
18x36	457x915	10.0	4.6	1836R	T1836R	S1836R
18x42	457x1067	11.5	5.2	1842R	T1842R	S1842R
18x48	457x1220	13.0	5.9	1848R	T1848R	S1848R
18x54	457x1372	14.5	6.6	1854R	T1854R	S1854R
18x60	457x1524	16.0	7.3	1860R	T1860R	S1860R
18x72	457x1829	19.0	8.6	1872R	T1872R	S1872R
21x24	534x610	7.5	3.4	2124R	T2124R	S2124R
21x30	534x762	9.0	4.1	2130R	T2130R	S2130R
21x36	534x915	10.5	4.8	2136R	T2136R	S2136R
21x42	534x1067	13.0	5.9	2142R	T2142R	S2142R
21x48	534x1220	14.5	6.6	2148R	T2148R	S2148R
21x54	534x1372	16.0	7.3	2154R	T2154R	S2154R
21x60	534x1524	18.0	8.2	2160R	T2160R	S2160R
21x72	534x1829	21.5	9.8	2172R	T2172R	S2172R
24x24	610x610	8.0	3.6	2424R	T2424R	S2424R
24x30	610x762	9.5	4.3	2430R	T2430R	S2430R
24x36	610x915	12.0	5.4	2436R	T2436R	S2436R
24x42	610x1067	14.0	6.4	2442R	T2442R	S2442R
24x48	610x1220	16.0	7.3	2448R	T2448R	S2448R
24x54	610x1372	18.0	8.2	2454R	T2454R	S2454R
24x60	610x1524	19.5	8.9	2460R	T2460R	S2460R
24x72	610x1829	23.5	10.7	2472R	T2472R	S2472R
30x36	762x915	12.0	5.4	3036R	T3036R	S3036R
30x48	762x1220	16.0	7.3	3048R	T3048R	S3048R
30x60	762x1524	19.5	8.9	3060R	T3060R	S3060R
30x72	762x1829	23.5	10.7	3072R	T3072R	S3072R
36x36	915x915	12.0	5.4	3636R	T3636R	S3636R
36x48	915x1220	16.0	7.3	3648R	T3648R	S3648R
36x60	915x1524	19.5	8.9	3660R	T3660R	S3660R
36x72	915x1829	23.5	10.7	3672R	T3672R	S3672R

Note: Load capacity for 30" and 36" shelf depth and for 36" and 48" length is 400 lbs. (181kg)
Load capacity for 30" and 36" shelf depth and for 48" to 72" length is 300 lbs. (136kg)



SHELVING SYSTEM

Post Sizes & Finishes / Solid Shelf Covers

POSTS WITH PRINTED NUMBERS


Height In.	mm	Weight		Finish	Finish	Finish
		lbs.	kg	Chrome Cat. No.	Tech-Seal® Cat. No.	Stainless Cat. No.
13	330	1.0	.5	P13	TP13	SP13
24	610	1.6	.7	P24	TP24	SP24
30	762	2.0	.9	P30	TP30	SP30
36	915	2.5	1.2	P36	TP36	SP36
43	1092	3.0	1.4	P43	TP43	SP43
54	1372	3.7	1.7	P54	TP54	SP54
60	1524	4.2	1.9	P60	TP60	SP60
72	1829	5.0	2.3	P72	TP72	SP72
84	2134	6.0	2.8	P84	TP84	SP84
96	2438	7.0	3.2	P96	TP96	SP96

- Post includes adjustable leveling bolt and post cap.
- Non-standard lengths available.
- Suffix: CL-Cap, level
CO-Cap, open
PL-Plug, plug
PO-Plug, open



Joining Bar JB24

One joining bar (shipped with every post)
JB (12", 15", 18", 21", 24", 30", 36")
(305, 381, 457, 534, 610, 762, 915mm)



POSTS are notched and numbered at every inch for easy assembly.



SOLID SHELF COVERS

- Snaps on to wire shelf to provide flat surface.
- Easily removable to convert back to wire shelf.

SOLID SHELF COVERS WITH WIRE SHELVES

Nominal Size In.	mm	Weight		Finish	Finish	Finish	Finish	Finish
		lbs.	kg	Chrome Shelf Galvanized Cover Cat. No.	Tech-Seal® Shelf Tech-Seal® Cover Cat. No.	Chrome Shelf Tech-Seal® Cover Cat. No.	Stainless Shelf Stainless Cover Cat. No.	Stainless Shelf Stainless Cover Cat. No.
18x24	457x610	11.0	5.0	1824F	T1824F	1824FT	S1824F	S1824FS
18x30	457x762	13.0	5.9	1830F	T1830F	1830FT	S1830F	S1830FS
18x36	457x915	15.0	6.8	1836F	T1836F	1836FT	S1836F	S1836FS
18x42	457x1067	17.0	7.7	1842F	T1842F	1842FT	S1842F	S1842FS
18x48	457x1220	19.0	8.6	1848F	T1848F	1848FT	S1848F	S1848FS
18x54	457x1372	21.0	9.5	1854F	T1854F	1854FT	S1854F	S1854FS
18x60	457x1524	23.0	10.4	1860F	T1860F	1860FT	S1860F	S1860FS
21x24	534x610	12.0	5.5	2124F	T2124F	2124FT	S2124F	S2124FS
21x30	534x762	14.0	6.4	2130F	T2130F	2130FT	S2130F	S2130FS
21x36	534x915	17.0	7.7	2136F	T2136F	2136FT	S2136F	S2136FS
21x42	534x1067	19.0	8.6	2142F	T2142F	2142FT	S2142F	S2142FS
21x48	534x1220	21.0	9.5	2148F	T2148F	2148FT	S2148F	S2148FS
21x54	534x1372	24.0	10.9	2154F	T2154F	2154FT	S2154F	S2154FS
21x60	534x1524	26.0	11.8	2160F	T2160F	2160FT	S2160F	S2160FS
24x24	610x610	13.5	6.1	2424F	T2424F	2424FT	S2424F	S2424FS
24x30	610x762	16.0	7.3	2430F	T2430F	2430FT	S2430F	S2430FS
24x36	610x915	19.0	8.6	2436F	T2436F	2436FT	S2436F	S2436FS
24x42	610x1067	21.0	9.5	2442F	T2442F	2442FT	S2442F	S2442FS
24x48	610x1220	24.0	10.9	2448F	T2448F	2448FT	S2448F	S2448FS
24x54	610x1372	26.5	12.0	2454F	T2454F	2454FT	S2454F	S2454FS
24x60	610x1524	29.0	13.2	2460F	T2460F	2460FT	S2460F	S2460FS

SHELVING SYSTEM

Easy-to-Order Complete Wire Shelving Units - Stationary Starter unit - free standing unit with 4 posts.
Add-on units connect to starter unit includes shelves, 2 posts and 2 add-on supports per shelf.
For a 90° angle Add-on unit, add letter "D" to Cat. No.



4 SHELVES / 60" (1524mm) POSTS

Nominal Size		Weight		Finish	Finish	Finish	Finish	Finish	Finish
In.	mm	lbs.	kg	Chrome Starter	Chrome Add-on	Tech-Seal® Starter	Tech-Seal® Add-on	Stainless Starter	Stainless Add-on
				Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.
18x24	457x610	51.7	23.5	682	682-A	T682	T682-A	S682	S682-A
18x30	457x762	57.7	26.2	683	683-A	T683	T683-A	S683	S683-A
18x36	457x914	63.7	28.9	684	684-A	T684	T684-A	S684	S684-A
18x42	457x1067	69.7	31.6	685	685-A	T685	T685-A	S685	S685-A
18x48	457x1220	75.7	34.3	686	686-A	T686	T686-A	S686	S686-A
18x54	457x1372	81.7	37.1	687	687-A	T687	T687-A	S687	S687-A
18x60	457x1524	87.7	39.8	688	688-A	T688	T688-A	S688	S688-A
18x72	457x1829	99.7	45.2	689	689-A	T689	T689-A	S689	S689-A

21x24	534x610	54.1	24.5	612	612-A	T612	T612-A	S612	S612-A
21x30	534x762	60.1	27.3	613	613-A	T613	T613-A	S613	S613-A
21x36	534x914	66.1	30.0	614	614-A	T614	T614-A	S614	S614-A
21x42	534x1067	76.1	34.5	615	615-A	T615	T615-A	S615	S615-A
21x48	534x1220	82.1	37.2	616	616-A	T616	T616-A	S616	S616-A
21x54	534x1372	88.1	40.0	617	617-A	T617	T617-A	S617	S617-A
21x60	534x1524	96.1	43.6	618	618-A	T618	T618-A	S618	S618-A
21x72	534x1829	110.1	49.4	619	619-A	T619	T619-A	S619	S619-A

24x24	610x610	56.5	25.6	642	642-A	T642	T642-A	S642	S642-A
24x30	610x762	62.5	28.4	643	643-A	T643	T643-A	S643	S643-A
24x36	610x914	72.5	32.9	644	644-A	T644	T644-A	S644	S644-A
24x42	610x1067	80.5	36.5	645	645-A	T645	T645-A	S645	S645-A
24x48	610x1220	88.5	40.1	646	646-A	T646	T646-A	S646	S646-A
24x54	610x1372	96.5	43.8	647	647-A	T647	T647-A	S647	S647-A
24x60	610x1524	102.5	46.5	648	648-A	T648	T648-A	S648	S648-A
24x72	610x1829	118.5	53.8	649	649-A	T649	T649-A	S649	S649-A

4 SHELVES / 72" (1829mm) POSTS

18x24	457x610	54.9	24.9	482	482-A	T482	T482-A	S482	S482-A
18x30	457x762	60.9	27.6	483	483-A	T483	T483-A	S483	S483-A
18x36	457x914	66.9	30.3	484	484-A	T484	T484-A	S484	S484-A
18x42	457x1067	72.9	33.1	485	485-A	T485	T485-A	S485	S485-A
18x48	457x1220	78.9	35.8	486	486-A	T486	T486-A	S486	S486-A
18x54	457x1372	84.9	38.5	487	487-A	T487	T487-A	S487	S487-A
18x60	457x1524	90.9	41.2	488	488-A	T488	T488-A	S488	S488-A
18x72	457x1829	102.9	46.7	489	489-A	T489	T489-A	S489	S489-A

21x24	534x610	57.3	26.0	412	412-A	T412	T412-A	S412	S412-A
21x30	534x762	63.3	28.7	413	413-A	T413	T413-A	S413	S413-A
21x36	534x914	69.3	31.4	414	414-A	T414	T414-A	S414	S414-A
21x42	534x1067	79.3	36.0	415	415-A	T415	T415-A	S415	S415-A
21x48	534x1220	85.3	38.7	416	416-A	T416	T416-A	S416	S416-A
21x54	534x1372	91.3	41.4	417	417-A	T417	T417-A	S417	S417-A
21x60	534x1524	99.3	45.0	418	418-A	T418	T418-A	S418	S418-A
21x72	534x1829	113.3	51.4	419	419-A	T419	T419-A	S419	S419-A

24x24	610x610	59.7	27.1	442	442-A	T442	T442-A	S442	S442-A
24x30	610x762	65.7	29.8	443	443-A	T443	T443-A	S443	S443-A
24x36	610x914	75.7	34.3	444	444-A	T444	T444-A	S444	S444-A
24x42	610x1067	83.7	38.0	445	445-A	T445	T445-A	S445	S445-A
24x48	610x1220	91.7	41.6	446	446-A	T446	T446-A	S446	S446-A
24x54	610x1372	99.7	45.2	447	447-A	T447	T447-A	S447	S447-A
24x60	610x1524	105.7	47.9	448	448-A	T448	T448-A	S448	S448-A
24x72	610x1829	121.7	55.2	449	449-A	T449	T449-A	S449	S449-A

SHELVING SYSTEM

Easy-to-Order Complete Wire Shelving Units - Stationary Starter unit - free standing unit with 4 posts.
Add-on units connect to starter unit includes shelves, 2 posts and 2 add-on supports per shelf.
For a 90° angle Add-on unit, add letter "D" to Cat. No.

5 SHELVES / 60" (1524mm) POSTS

Nominal Size In.	mm	Weight		Finish	Finish	Finish	Finish	Finish	Finish
		lbs.	kg	Chrome Starter Cat. No.	Chrome Add-on Cat. No.	Tech-Seal® Starter Cat. No.	Tech-Seal® Add-on Cat. No.	Stainless Starter Cat. No.	Stainless Add-on Cat. No.
18x24	457x610	59	26.8	982	982-A	T982	T982-A	S982	S982-A
18x30	457x762	66.7	30.3	983	983-A	T983	T983-A	S983	S983-A
18x36	457x914	74.2	33.7	984	984-A	T984	T984-A	S984	S984-A
18x42	457x1067	81.7	37.1	985	985-A	T985	T985-A	S985	S985-A
18x48	457x1220	89.2	40.5	986	986-A	T986	T986-A	S986	S986-A
18x54	457x1372	96.7	43.9	987	987-A	T987	T987-A	S987	S987-A
18x60	457x1524	104.2	47.3	988	988-A	T988	T988-A	S988	S988-A
18x72	457x1829	119.2	54.1	989	989-A	T989	T989-A	S989	S989-A

21x24	534x610	62.1	28.2	912	912-A	T912	T912-A	S912	S912-A
21x30	534x762	69.6	31.6	913	913-A	T913	T913-A	S913	S913-A
21x36	534x914	77.1	35.0	914	914-A	T914	T914-A	S914	S914-A
21x42	534x1067	89.6	40.6	915	915-A	T915	T915-A	S915	S915-A
21x48	534x1220	97.1	44.0	916	916-A	T916	T916-A	S916	S916-A
21x54	534x1372	104.6	47.4	917	917-A	T917	T917-A	S917	S917-A
21x60	534x1524	114	51.7	918	918-A	T918	T918-A	S918	S918-A
21x72	534x1829	132.1	59.9	919	919-A	T919	T919-A	S919	S919-A

24x24	610x610	65	29.5	942	942-A	T942	T942-A	S942	S942-A
24x30	610x762	72.5	32.9	943	943-A	T943	T943-A	S943	S943-A
24x36	610x914	85	38.6	944	944-A	T944	T944-A	S944	S944-A
24x42	610x1067	95	43.1	945	945-A	T945	T945-A	S945	S945-A
24x48	610x1220	105	47.6	946	946-A	T946	T946-A	S946	S946-A
24x54	610x1372	115	52.2	947	947-A	T947	T947-A	S947	S947-A
24x60	610x1524	122.5	55.6	948	948-A	T948	T948-A	S948	S948-A
24x72	610x1829	142.5	64.6	949	949-A	T949	T949-A	S949	S949-A

5 SHELVES / 72" (1829mm) POSTS

18x24	457x610	62.2	28.2	782	782-A	T782	T782-A	S782	S782-A
18x30	457x762	69.9	31.7	783	783-A	T783	T783-A	S783	S783-A
18x36	457x914	77.4	35.1	784	784-A	T784	T784-A	S784	S784-A
18x42	457x1067	84.9	38.5	785	785-A	T785	T785-A	S785	S785-A
18x48	457x1220	92.4	41.9	786	786-A	T786	T786-A	S786	S786-A
18x54	457x1372	99.9	45.3	787	787-A	T787	T787-A	S787	S787-A
18x60	457x1524	107.4	48.7	788	788-A	T788	T788-A	S788	S788-A
18x72	457x1829	122.4	55.5	789	789-A	T789	T789-A	S789	S789-A

21x24	534x610	65.3	29.6	712	712-A	T712	T712-A	S712	S712-A
21x30	534x762	69.6	31.6	713	713-A	T713	T713-A	S713	S713-A
21x36	534x914	80.3	36.4	714	714-A	T714	T714-A	S714	S714-A
21x42	534x1067	92.8	42.1	715	715-A	T715	T715-A	S715	S715-A
21x48	534x1220	100.3	45.5	716	716-A	T716	T716-A	S716	S716-A
21x54	534x1372	107.8	48.9	717	717-A	T717	T717-A	S717	S717-A
21x60	534x1524	117.2	53.2	718	718-A	T718	T718-A	S718	S718-A
21x72	534x1829	135.3	61.4	719	719-A	T719	T719-A	S719	S719-A

24x24	610x610	68.2	31.0	742	742-A	T742	T742-A	S742	S742-A
24x30	610x762	75.7	34.3	743	743-A	T743	T743-A	S743	S743-A
24x36	610x914	88.2	40.0	744	744-A	T744	T744-A	S744	S744-A
24x42	610x1067	98.2	44.5	745	745-A	T745	T745-A	S745	S745-A
24x48	610x1220	108.2	49.1	746	746-A	T746	T746-A	S746	S746-A
24x54	610x1372	118.2	53.6	747	747-A	T747	T747-A	S747	S747-A
24x60	610x1524	125.7	57.0	748	748-A	T748	T748-A	S748	S748-A
24x72	610x1829	145.7	66.1	749	749-A	T749	T749-A	S749	S749-A



SHELVING SYSTEM

Complete Mobile Wire Shelving Units



Stem Caster Cart 646M

Includes:

- Stem casters - 5" (127mm) SofRunner™ swivel casters.
- Overall height 54"(1372mm) posts = 60"(1524mm) posts = 66"(1676mm) 72"(1829mm) posts = 78"(1981mm)



Dolly Base Cart 646MD

Includes:

- Dolly Plate casters - 5" (127mm) or 6" (152 mm).
- Overall height : Post + Dolly 1½" (38mm) + Casters.

STEM CASTER CARTS

Nominal Size In.	mm	Weight		Chrome Cat. No.
		lbs.	kg	
4-Shelf Unit-54" (1372mm) High + Caster				
18x36	457x914	72	32.7	584M
18x48	457x1220	84	38.1	586M
18x54	457x1372	90	48.8	587M
18x60	457x1524	96	43.6	588M
18x72	457x1829	108	49.0	589M
24x36	610x914	80	36.3	544M
24x48	610x1220	96	43.6	546M
24x54	610x1372	104	47.2	547M
24x60	610x1524	110	49.9	548M
24x72	610x1829	126	57.2	549M
4-Shelf Unit-60" (1524mm) High + Caster				
18x36	457x914	74	33.6	684M
18x48	457x1220	86	39.0	686M
18x54	457x1372	92	41.7	687M
18x60	457x1524	98	44.5	688M
18x72	457x1829	110	59.9	689M
24x36	610x914	82	37.2	644M
24x48	610x1220	98	44.5	646M
24x54	610x1372	106	48.1	647M
24x60	610x1524	112	50.8	648M
24x72	610x1829	128	58.1	649M

5-Shelf Unit-72" (1829mm) High + Caster

18x36	457x914	87	39.5	784M
18x48	457x1220	102	46.3	786M
18x54	457x1372	110	49.9	787M
18x60	457x1524	117	53.1	788M
18x72	457x1829	132	59.9	789M
24x36	610x914	97	44.0	744M
24x48	610x1220	117	53.1	746M
24x54	610x1372	127	57.6	747M
24x60	610x1524	135	61.2	748M
24x72	610x1829	155	70.3	749M

DOLLY BASE CARTS

4-Shelf Unit-54" (1372mm) High + Caster + Dolly

Nominal Size In.	mm	Weight lbs.	Weight kg	5" Casters	6" Casters
18x36	457x914	102	46.3	584MD	584MD-6
18x48	457x1220	121	54.9	586MD	586MD-6
18x54	457x1372	130	59.0	587MD	587MD-6
18x60	457x1524	138	62.6	588MD	588MD-6
18x72	457x1829	156	70.8	589MD	589MD-6
24x36	610x914	115	52.2	544MD	544MD-6
24x48	610x1220	135	61.2	546MD	546MD-6
24x54	610x1372	148	67.1	547MD	547MD-6
24x60	610x1524	156	70.8	548MD	548MD-6
24x72	610x1829	178	80.7	549MD	549MD-6

4-Shelf Unit-60" (1524mm) High + Caster + Dolly

18x36	457x914	108	49.0	684MD	684MD-6
18x48	457x1220	127	57.6	686MD	686MD-6
18x54	457x1372	136	61.7	687MD	687MD-6
18x60	457x1524	144	65.3	688MD	688MD-6
18x72	457x1829	162	73.5	689MD	689MD-6
24x36	610x914	121	54.9	644MD	644MD-6
24x48	610x1220	141	64.0	646MD	646MD-6
24x54	610x1372	154	69.9	647MD	647MD-6
24x60	610x1524	162	73.5	648MD	648MD-6
24x72	610x1829	184	83.5	649MD	649MD-6

5-Shelf Unit-72" (1829mm) High + Caster + Dolly

18x36	457x914	117	53.1	784MD	784MD-6
18x48	457x1220	151	68.5	786MD	786MD-6
18x54	457x1372	162	73.5	787MD	787MD-6
18x60	457x1524	172	78.0	788MD	788MD-6
18x72	457x1829	194	88.0	789MD	789MD-6
24x36	610x914	142	64.4	744MD	744MD-6
24x48	610x1220	171	77.6	746MD	746MD-6
24x54	610x1372	184	83.5	747MD	747MD-6
24x60	610x1524	195	88.5	748MD	748MD-6
24x72	610x1829	222	100.7	749MD	749MD-6

SHELVING SYSTEM

Complete 3-Sided Enclosed Mobile Shelving Units
Middle Shelves can be sloped up to 2" (51mm) to retain products on cart.

ENCLOSED STEM CASTERS

Nominal Size In.	mm	Weight lbs.	kg	Chrome Cat. No.
21x48	534x1220	127	57.6	616ME
21x60	534x1524	146	66.2	618ME
21x72	534x1829	166	75.3	619ME
24x48	610x1220	141	64.0	646ME
24x60	610x1524	162	73.5	648ME
24x72	610x1829	184	83.5	649ME

Complete with:

- 4 Shelves.
- 4 Posts 60" (1524mm) high.
- 1 Back Screen.
- 2 End Screens.
- 4-5" (127mm) Swivel Casters.
- Donut bumpers optional.



Enclosed Stem Caster 648ME



ENCLOSED 3-SIDED OPEN DOLLY BASES

Nominal Size In.	mm	Weight lbs.	kg	Chrome Cat. No.
21x48	534x1220	183	83.0	LC214-8
21x60	534x1524	197	89.4	LC216-8
21x72	534x1829	228	103.4	LC217-8
24x48	610x1220	181	82.1	LC244-8
24x60	610x1524	214	97.1	LC246-8
24x72	610x1829	249	113.0	LC247-8

Complete with:

- 4 Shelves.
- 4 Posts 60" (1524mm) high.
- 1 Back Screen.
- 2 End Screens.
- 4-Swivel Casters (5" (127mm) or 6" (152mm)).
- 1 Open dolly base.



Enclosed 3-Sided Open Dolly Base LC244-8

ENCLOSED 3-SIDED WITH SOLID DOLLY BASES

Nominal Size In.	mm	Weight lbs.	kg	Chrome Cat. No.
21x48	534x1220	182	82.6	LC214-6
21x60	534x1524	209	94.8	LC216-6
21x72	534x1829	235	106.6	LC217-6
24x48	610x1220	194	88.0	LC244-6
24x60	610x1524	220	99.8	LC246-6
24x72	610x1829	247	112.0	LC247-6

Complete with:

- 3 Shelves.
- 4 Posts 60" (1524mm) high.
- 1 Back Screen.
- 2 End Screens.
- 4-Swivel Casters (5" (127mm) or 6" (152mm)).
- 1 Dolly base with Stainless Steel insert.

Note: Shelf dividers and label holders also available.



Enclosed 3-Sided Solid Dolly Base LC244-6

ENCLOSED 3-SIDED/OPEN DOLLY BASES

Nominal Size In.	mm	Weight lbs.	kg	Chrome Cat. No.
24x48	610x1220	171	77.6	LC244-7
24x60	610x1524	194	88.0	LC246-7
24x72	610x1829	218	98.9	LC247-7

Complete with:

- 3 Shelves.
- 4 Posts 60" (1524mm) high.
- 1 Back Screen.
- 2 End Screens.
- 4-Swivel Casters (5" (127mm) or 6" (152mm)).
- 1 Open dolly base.

ENCLOSED 3-SIDED/OPEN DOLLY BASES

Nominal Size In.	mm	Weight lbs.	kg	Chrome Cat. No.
24x48	610x1220	166	75.3	LC244-5
24x60	610x1524	182	82.6	LC246-5
24x72	610x1829	199	90.3	LC247-5

Complete with:

- 2 Shelves.
- 4 Posts 54" (1372mm) high.
- 1 Back Screen.
- 2 End Screens.
- 4 Swivel Casters (5" (127mm) or 6" (152mm)).
- 1 Open dolly base.

ENCLOSED 3-SIDED WITH SOLID DOLLY BASES

Nominal Size In.	mm	Weight lbs.	kg	Chrome Cat. No.
21x48	534x1220	182	82.6	LCT214-6
21x60	534x1524	209	94.8	LCT216-6
21x72	534x1829	235	106.6	LCT217-6
24x48	610x1220	194	88.0	LCT244-6
24x60	610x1524	220	99.8	LCT246-6
24x72	610x1829	247	112.0	LCT247-6

Complete with:

- 3 Shelves.
- 4 Posts 60" (1524mm) high.
- 1 Back Screen.
- 2 End Screens.
- 4-Swivel Casters (5" (127mm) or 6" (152mm)).
- 1 Dolly base with Tech-Seal® insert.

ACCESSORIES

Enclosure Panels

BACK SCREENS

Post size In.	mm	Shelf Width		Weight		Finish Chrome 3x3 Mesh Cat. No.	Finish Tech-Seal® 3x3 Mesh Cat. No.	Finish Stainless 3x3 Mesh Cat. No.
		In.	mm	lbs.	kg			
54	1372	30	762	13	5.9	PBC3054-3	TPBC3054-3	SPBC3054-3
		36	915	15.5	7.0	PBC3654-3	TPBC3654-3	SPBC3654-3
		42	1067	18.5	8.4	PBC4254-3	TPBC4254-3	SPBC4254-3
		48	1220	21.5	9.8	PBC4854-3	TPBC4854-3	SPBC4854-3
		54	1372	24	10.9	PBC5454-3	TPBC5454-3	SPBC5454-3
		60	1524	27	12.2	PBC6054-3	TPBC6054-3	SPBC6054-3
		72	1829	32.5	14.7	PBC7254-3	TPBC7254-3	SPBC7254-3
60	1524	30	762	14.5	6.6	PBC3060-3	TPBC3060-3	SPBC3060-3
		36	915	16.5	7.5	PBC3660-3	TPBC3660-3	SPBC3660-3
		42	1067	20.5	9.3	PBC4260-3	TPBC4260-3	SPBC4260-3
		48	1220	24	10.9	PBC4860-3	TPBC4860-3	SPBC4860-3
		54	1372	27	12.2	PBC5460-3	TPBC5460-3	SPBC5460-3
		60	1524	29.5	13.4	PBC6060-3	TPBC6060-3	SPBC6060-3
		72	1829	35	15.9	PBC7260-3	TPBC7260-3	SPBC7260-3
72	1829	30	762	17.5	8.0	PBC3072-3	TPBC3072-3	SPBC3072-3
		36	915	20	9.1	PBC3672-3	TPBC3672-3	SPBC3672-3
		42	1067	24.5	11.1	PBC4272-3	TPBC4272-3	SPBC4272-3
		48	1220	28.5	13.0	PBC4872-3	TPBC4872-3	SPBC4872-3
		54	1372	31.5	14.3	PBC5472-3	TPBC5472-3	SPBC5472-3
		60	1524	35	15.9	PBC6072-3	TPBC6072-3	SPBC6072-3
		72	1829	41.5	18.8	PBC7272-3	TPBC7272-3	SPBC7272-3
84	2134	30	762	20.5	9.3	PBC3084-3	TPBC3084-3	SPBC3084-3
		36	915	23.5	10.7	PBC3684-3	TPBC3684-3	SPBC3684-3
		42	1067	28.5	13.0	PBC4284-3	TPBC4284-3	SPBC4284-3
		48	1220	33	15.0	PBC4884-3	TPBC4884-3	SPBC4884-3
		54	1372	36.5	16.6	PBC5484-3	TPBC5484-3	SPBC5484-3
		60	1524	40.5	18.4	PBC6084-3	TPBC6084-3	SPBC6084-3
		72	1829	47	21.3	PBC7284-3	TPBC7284-3	SPBC7284-3



END SCREENS

Post size In.	mm	Shelf Width		Weight		Finish Chrome 3x3 Mesh Cat. No.	Finish Tech-Seal® 3x3 Mesh Cat. No.	Finish Stainless 3x3 Mesh Cat. No.
		In.	mm	lbs.	kg			
54	1372	18	457	7.5	3.4	PEC1854-3	TPEC1854-3	SPEC1854-3
		21	534	9	4.1	PEC2154-3	TPEC2154-3	SPEC2154-3
		24	610	9.5	4.3	PEC2454-3	TPEC2454-3	SPEC2454-3
60	1524	18	457	8.5	3.6	PEC1860-3	TPEC1860-3	SPEC1860-3
		21	534	10	4.5	PEC2160-3	TPEC2160-3	SPEC2160-3
		24	610	11	5.0	PEC2460-3	TPEC2460-3	SPEC2460-3
72	1829	18	457	10	4.5	PEC1872-3	TPEC1872-3	SPEC1872-3
		21	534	12	5.4	PEC2172-3	TPEC2172-3	SPEC2172-3
		24	610	13.5	6.1	PEC2472-3	TPEC2472-3	SPEC2472-3
84	2134	18	457	11.5	5.2	PEC1884-3	TPEC1884-3	SPEC1884-3
		21	534	14	6.4	PEC2184-3	TPEC2184-3	SPEC2184-3
		24	610	16	7.3	PEC2484-3	TPEC2484-3	SPEC2484-3

Note: 12" (305mm) and 15" (381mm) available.

ACCESSORIES


Dolly Bases

Heavy-duty dollies are designed for durability.

Integral "C" channel with wraparound bumper is welded to steel plate frame.


TECH-SEAL® OPEN DOLLIES

Nominal Size		Weight		Finish
In.	mm	lbs.	kg	Tech-Seal® Cat. No.
18x36	457x914	30	13.6	THP9836
18x42	457x1067	35	15.9	THP9842
18x48	457x1220	40	18.2	THP9848
18x54	457x1372	45	20.4	THP9854
18x60	457x1524	50	22.7	THP9860
18x72	457x1829	60	27.2	THP9872
21x36	534x914	35	15.9	THP9136
21x42	534x1067	41	18.6	THP9142
21x48	534x1220	47	21.3	THP9148
21x54	534x1372	52	23.6	THP9154
21x60	534x1524	58	26.3	THP9160
21x72	534x1829	69	31.3	THP9172
24x36	610x914	40	18.2	THP9436
24x42	610x1067	47	21.3	THP9442
24x48	610x1220	53	24.0	THP9448
24x54	610x1372	60	27.2	THP9454
24x60	610x1524	67	30.4	THP9460
24x72	610x1829	80	36.3	THP9472



TECH-SEAL® DOLLIES WITH SOLID INSERT

Nominal Size		Weight		Insert	Insert	Insert
In.	mm	lbs.	kg	Galvanized Cat. No.	Tech-Seal® Cat. No.	Stainless Cat. No.
18x36	457x914	30	13.6	THP9836NG	THP9836NT	THP9836NS
18x42	457x1067	35	15.9	THP9842NG	THP9842NT	THP9842NS
18x48	457x1220	40	18.2	THP9848NG	THP9848NT	THP9848NS
18x54	457x1372	45	20.4	THP9854NG	THP9854NT	THP9854NS
18x60	457x1524	50	22.7	THP9860NG	THP9860NT	THP9860NS
18x72	457x1829	60	27.2	THP9872NG	THP9872NT	THP9872NS
21x36	534x914	35	15.9	THP9136NG	THP9136NT	THP9136NS
21x42	534x1067	41	18.6	THP9142NG	THP9142NT	THP9142NS
21x48	534x1220	47	21.3	THP9148NG	THP9148NT	THP9148NS
21x54	534x1372	52	23.6	THP9154NG	THP9154NT	THP9154NS
21x60	534x1524	58	26.3	THP9160NG	THP9160NT	THP9160NS
21x72	534x1829	69	31.3	THP9172NG	THP9172NT	THP9172NS
24x36	610x914	40	18.2	THP9436NG	THP9436NT	THP9436NS
24x42	610x1067	47	21.3	THP9442NG	THP9442NT	THP9442NS
24x48	610x1220	53	24.0	THP9448NG	THP9448NT	THP9448NS
24x54	610x1372	60	27.2	THP9454NG	THP9454NT	THP9454NS
24x60	610x1524	67	30.4	THP9460NG	THP9460NT	THP9460NS
24x72	610x1829	80	36.3	THP9472NG	THP9472NT	THP9472NS



Note: Chrome Dolly available upon request

WHEELS AND CASTERS

Select from stem or plate type in a variety of sizes, tread composition and configuration to meet specific requirements.



4D



5C



5CB

STEM TYPES

Nominal Size In.	mm	Weight lbs. kg		Capacity lbs. kg		Tread	Swivel Cat. No.	Rigid Cat. No.	Brake Cat. No.
4x1	102x25	2	.9	75	34.0	Poly	4D	4DR	4DB
5x1½	127x38	2	.9	250	114	Poly	5C	5CR	5CB
5x1¾	127x35	2	.9	325	147	Neoprene	OFF-65-XSR	OFF-65-RXSR	OFF-65-BXSR



Donut Bumper
Cat. No.
DB325 (3") (76mm)
DB525 (5") (127mm)

STEM TYPE - SQUARE

Nominal Size In.	mm	Weight lbs. kg		Capacity lbs. kg		Tread	Swivel Cat.No.	Rigid Cat.No.	Brake Cat.No.
5x1½	127x38	2	.9	250	114	Urethane	CAS-385050	-----	CAS-385150



CAS385050



C5



31-76-XSR



31-76FP-XSR



31-76B-TSE



31-406B-TSE



CAS387160



31-408B-TSE



31-408-TD

PLATE TYPES

Nominal Size In.	mm	Weight lbs. kg		Capacity lbs. kg		Tread	Swivel Cat.No.	Rigid Cat.No.	Brake Cat.No.	4 Positions Cat.No.
5x1½	127x38	2	.9	250	114	Poly	C5	CR5	CB5	
6x1½	152x38	4.2	1.9	400	181	Neoprene	31-76-XSR	31-76R-XSR	31-76B-XSR	31-76FP-XSR
6x1¾	152x35	4.3	2.0	600	272	Elastomere	31-76-TSE	31-76R-TSE	31-76B-TSE	31-76FP-TSE
6x2	152x51	6.0	2.7	1000	454	Elastomere	31-406-TSE	31-406R-TSE	31-406B-TSE	31-406FP-TSE
6x2	152x51	6.0	2.7	900	408	Urethane	CAS-387060	CAS-397060	CAS-387160	
8X2	203X51	7.5	3.4	1000	454	Elastomere	31-408-TSE	31-408R-TSE	31-408B-TSE	
8X2	203X51	7.0	3.2	600	272	Neoprene	31-408-TD	31-408R-TD	31-408B-TD	

Note: Also available ESD wheels, Hi-Temp. wheels and Stainless Steel casters.

ACCESSORIES

LABEL HOLDERS

For easy identification, 1" (25.4mm) label holders are available either slotted, flat, or slanted.

Description	3" (76) Cat.No.	6" (152) Cat.No.	28" (711) Cat.No.	40" (1016) Cat.No.	46" (1168) Cat.No.	52" (1321) Cat.No.	58" (1473) Cat.No.	70" (1778) mm Cat.No.
Slotted	R13	R16	R128	R140	R146	R152	R158	R170
Flat	F13	F16	F128	F140	F146	F152	F158	F170
Slanted	S13	S16	S128	S140	S146	S152	S158	S170
Slotted Clear 1/4"	CLR3	CLR6	CLR28	CLR40	CLR46	CLR52	CLR58	CLR70

SHELF DIVIDERS

Wire shelf dividers are used to separate products efficiently. Adjustable on all standard shelves in 6" (152mm) or 8" (203mm) height.

WIRE SHELF DIVIDERS Designed for wire shelves to keep shelves continuously organized, in 6" (152mm) or 8" (203mm) height, dividers lock on the shelf.

Shelf Size In.	mm	Weight		6" Height			8" Height		
		lbs.	kg	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.
12	305	1	.5	PD126	TPD126	SPD126	PD128	TPD128	SPD128
15	381	1	.5	PD156	TPD156	SPD156	PD158	TPD158	SPD158
18	457	1.4	.6	PD186	TPD186	SPD186	PD188	TPD188	SPD188
21	534	1.4	.6	PD216	TPD216	SPD216	PD218	TPD218	SPD218
24	610	1.4	.6	PD246	TPD246	SPD246	PD248	TPD248	SPD248

DIVIDERS for solid shelf covers in 6" (152mm) or 8" (203mm) height.

Wire Shelf	Weight lbs.	Weight kg	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.	
18	457	1.4	.6	FD186	TFD186	SFD186	FD188	TFD188	SFD188
21	534	1.4	.6	FD216	TFD216	SFD216	FD218	TFD218	SFD218
24	610	1.4	.6	FD246	TFD246	SFD246	FD248	TFD248	SFD248

FRONT OR BACK LEDGES Available in 1" (25.4mm) or 3" (76mm) height (Ledges for Add-on units add suffix A to Cat. No.) Attached to posts

Shelf Size In.	mm	Weight		1" Height			3" Height		
		lbs.	kg	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.
24	610	1	.5	PBL241	TPBL241	SPBL241	PBL243	TPBL243	SPBL243
30	762	1.3	.6	PBL301	TPBL301	SPBL301	PBL303	TPBL303	SPBL303
36	915	1.5	.7	PBL361	TPBL361	SPBL361	PBL363	TPBL363	SPBL363
42	1067	1.7	.8	PBL421	TPBL421	SPBL421	PBL423	TPBL423	SPBL423
48	1220	1.9	.9	PBL481	TPBL481	SPBL481	PBL483	TPBL483	SPBL483
54	1372	2.1	1.0	PBL541	TPBL541	SPBL541	PBL543	TPBL543	SPBL543
60	1524	2.3	1.1	PBL601	TPBL601	SPBL601	PBL603	TPBL603	SPBL603
72	1829	2.7	1.2	PBL721	TPBL721	SPBL721	PBL723	TPBL723	SPBL723


SIDE LEDGES Available in 1" (25.4) or 3" (76mm). (Ledges for Add-on units add suffix A to Cat. No.)

Shelf Size In.	Weight lbs.	Weight kg	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.	
12	305	.5	.2	PL121	TPL121	SPL121	PL123	TPL123	SPL123
15	381	.5	.2	PL151	TPL151	SPL151	PL153	TPL153	SPL153
18	457	1	.5	PL181	TPL181	SPL181	PL183	TPL183	SPL183
21	534	1	.5	PL211	TPL211	SPL211	PL213	TPL213	SPL213
24	610	1	.5	PL241	TPL241	SPL241	PL243	TPL243	SPL243

FRONT OR BACK LEDGES 3" (76mm) height.

Attached to shelf

Shelf Size In.	Weight lbs.	Weight kg	Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	
24	610	1	.5	TL243	TTL243
30	762	1.3	.6	TL303	TTL303
36	915	1.5	.7	TL363	TTL363
42	1067	1.7	.8	TL423	TTL423
48	1220	1.9	.9	TL483	TTL483
54	1372	2.1	1.0	TL543	TTL543
60	1524	2.3	1.1	TL603	TTL603
72	1829	2.7	1.2	TL723	TTL723




SLOTTED

SLANTED


FLAT



PD186



FD186



PL243



TL48

ACCESSORIES



HB715



HB916



DVR54/DVC



CB-422



CA-326CR



CA-327CR



CA-329S

ADD-ON BASKETS

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
7x15x7	178x381x178	2.3	1.0	HB715
9x16x9	229x406x229	4	1.8	HB916

ROD AND TAB DIVIDERS

Size In.	mm	Weight		Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Tab Cat. No.
		lbs.	kg			
54	1372	.7	.3	DVR54	TDVR54	DVC
60	1524	.8	.4	DVR60	TDVR60	
72	1829	.8	.4	DVR72	TDVR72	
84	2134	.9	.4	DVR84	TDVR84	
96	2438	1.0	.5	DVR96	TDVR96	

Tabs must be ordered separately. One tab per rod is needed for every shelf.
Rod and tab dividers are an economical way to divide or section off every shelf within an entire unit.
Rods run the entire height of the unit.
Tabs are snapped into the shelf at desired position.

CATHETER BASKET

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
4x4x22	102x102x559	1.5	.7	CB422

Designed for use with catheters and stomach tubes.
Wire basket with label holder.

HAND BASKET

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
14x20x7 $\frac{3}{4}$	356x508x197	2.5	1.1	CA-326CR

Ideal for any procedure involving material
pick-up, drop-off or exchange. Nests for storage.

SUPPLY BASKETS

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.	Finish Stainless Cat. No.
		lbs.	kg		
17x25x11	432x635x279	7.5	3.4	CA-327CR	
14x20x7 $\frac{3}{4}$	356x508x197	2.5	1.1	CA-329CR	CA-329S

Model CA-327CR can be stacked by folding the handles.

ACCESSORIES

POST CLAMP

Ties back to back shelving units together at posts.

Chrome Cat. No. **PCL**

Tech-Seal® Cat. No. **TPCL**

LOOP LOCK

Used to lock cart handle at a different level than shelf. Can also be used to connect joining bars to posts without shelves.

Chrome Cat. No. **LP**

Tech-Seal® Cat. No. **TLP**

ADD-ON SUPPORTS

For straight line Add-on units. Stainless Steel. Cat. No. **PAH**

For a 90° angle Add-on unit. Stainless Steel. Cat. No. **PBC200**

FOOT PLATE

Allows bolting of shelving unit into floor. For marine and regular installations. Anchor not included.

Chrome Cat. No. **FP**

Tech-Seal® Cat. No. **TFP**

PUSH HANDLES Designed for all mobile shelving units.

Shelf Length		Weight		Finish	Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®	Stainless
				Cat. No.	Cat. No.	Cat. No.
18	457	2.0	0.9	H18-OLD	T18-OLD	S18-OLD
21	534	2.2	1.0	H21-OLD	T21-OLD	S21-OLD
24	610	2.4	1.1	H24-OLD	T24-OLD	S24-OLD

PUSH HANDLES Designed for cart with end screens.

Shelf Length		Weight		Finish	Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®	Stainless
				Cat. No.	Cat. No.	Cat. No.
18	457	2.0	0.9	H18-OLD-EXT	TH18-OLD-EXT	H18S-OLD-EXT
21	534	2.2	1.0	H21-OLD-EXT	TH21-OLD-EXT	H21S-OLD-EXT
24	610	2.4	1.1	H24-OLD-EXT	TH24-OLD-EXT	H24S-OLD-EXT

Custom lettering on handle insert (available at no extra charge). Maximum lettering 12" (305mm).

If handle is not at same level as shelf, add 2 loop locks (Cat. No. **LP**).

COAT RODS

Coat Rod can be added to any wire shelving unit. Specify depth of shelf when ordering.

Shelf Length		Weight		Finish
In.	mm	lbs.	kg	Chrome
				Cat. No.
24	610	2.0	0.9	5024
30	762	2.0	0.9	5030
36	915	2.5	1.1	5036
42	1067	3.0	1.4	5042
48	1220	3.0	1.4	5048
54	1372	3.5	1.6	5054
60	1524	3.5	1.6	5060
72	1828	4.0	1.7	5072

HANGERS : Open Cat.No. **OH16**

Closed Cat No. **CRH**



PCL



LP



PAH



FP



STRAIGHT LINE ADD-ON SUPPORTS.
(Cat. No. PAH)



90° ADD-ON "S" Hook.
(Cat. No. PBC200)




H18-OLD



H18-OLD-EXT



5048-18



OH16

CRH

ACCESSORIES



TS18

TRAY AND TOTE SLIDES

Holds any widths of tray or tote box when placed on 18" (457mm), 21" (534mm) or 24" (610mm) deep shelves. Shelves must be assembled 22" (559mm) apart.

Size In.	mm	Weight		Finish	Finish
		lbs.	kg	Chrome Cat. No.	Tech-Seal® Cat. No.
18	457	2.5	1.1	TS18	TTS18
21	534	3.0	1.4	TS21	TTS21
24	610	3.5	1.6	TS24	TTS24



14-6-2H

DRAWERS

Weight lbs.	kg	Description	Cat. No.
3.0	1.4	Small drawer 12"x18"x5" H (305x457x127mm)	14-6-2H
		Long divider for small drawer	DV18
		Short divider for small drawer	DV12
3.5	1.6	Medium drawer 17"x22"x6" H (432x559x152mm)	TB40
		Long divider for medium drawer	DV22
		Short divider for medium drawer	DV17
		Index card holder for TB40	CH30
		Insert lid for TB40	TB40IL



TB40



RK1421

ADJUSTABLE DRAWER HOLDERS

Fits Shelf Depth	Weight		Description	Cat. No.	
	lbs.	kg			
18	457	2.0	.9	Holder only, small drawer	RK182H
21	534	2.0	.9	Holder only, small drawer	RK212H
24	610	2.0	.9	Holder only, small drawer	RK242H
21	534	2.0	.9	Holder only, medium drawer	RK2140
24	610	2.0	.9	Holder only, medium drawer	RK2440



RK4024

DRAWER AND HOLDER UNITS

COMPLETE UNITS INCLUDE HOLDER AND DRAWER

(INCLUDES INDEX POCKET WITH MEDIUM DRAWER ONLY)

18	457	4.5	2.0	Complete unit, small drawer	RK1418
21	534	5.0	2.3	Complete unit, small drawer	RK1421
24	610	5.5	2.5	Complete unit, small drawer	RK1424
21	534	6.0	2.7	Complete unit, medium drawer	RK4021
24	610	6.5	2.9	Complete unit, medium drawer	RK4024

DOUBLE DRAWER AND HOLDER UNITS

COMPLETE UNITS INCLUDE HOLDER AND DRAWER

(INCLUDES INDEX POCKETS WITH MEDIUM DRAWER ONLY)

18	457	12	5.4	Complete unit, small drawer	RK1418-2
21	534	13	5.9	Complete unit, small drawer	RK1421-2
24	610	14	6.4	Complete unit, small drawer	RK1424-2
21	534	15	6.8	Complete unit, medium drawer	RK4021-2
24	610	16	7.3	Complete unit, medium drawer	RK4024-2



RK4024-2

SHELVING SYSTEM

Cantilever & Wall Shelf Units
Accessories for Cantilever & Wall Units
Direct Wall Mount Brackets accommodate Shelving for Wall Storage Applications.

COMPLETE UNITS (POSTS, BRACKETS, SUPPORTS AND SHELVES)

Nominal Size		Weight		1 Shelf 13" Posts		Weight		2 Shelves 24" Posts		Weight		3 Shelves 36" Posts	
In.	mm	lbs.	kg	Chrome Cat. No. with PCA		lbs.	kg	Chrome Cat. No. with PCA		lbs.	kg	Chrome Cat. No. with PCA	
12x24	305x610	10	4.5	1WA1224		18	8.2	2WA1224		26	11.8	3WA1224	
12x30	305x762	12	5.5	1WA1230		21	9.5	2WA1230		30	13.6	3WA1230	
12x36	305x914	13	5.9	1WA1236		24	10.9	2WA1236		35	15.9	3WA1236	
12x42	305x1067	15	6.8	1WA1242		27	12.3	2WA1242		39	17.7	3WA1242	
12x48	305x1220	16	7.3	1WA1248		30	13.6	2WA1248		44	20.0	3WA1248	
15x30	381x762	13	5.9	1WA1530		22	10.0	2WA1530		32	14.5	3WA1530	
15x36	381x914	15	6.8	1WA1536		25	11.4	2WA1536		37	16.8	3WA1536	
15x42	381x1067	16	7.3	1WA1542		28	12.7	2WA1542		41	18.6	3WA1542	
15x48	381x1220	18	8.2	1WA1548		31	14.1	2WA1548		46	20.9	3WA1548	
				with SMB				with SMB				with SMB	
18x30	457x762	14	6.4	1WA1830		23	10.4	2WA1830		34	15.4	3WA1830	
18x36	457x914	16	7.3	1WA1836		26	11.8	2WA1836		39	17.7	3WA1836	
18x42	457x1067	17	7.7	1WA1842		29	13.2	2WA1842		43	19.5	3WA1842	
18x48	457x1220	19	8.6	1WA1848		32	14.5	2WA1848		48	21.8	3WA1848	

COMPONENTS

Description	Chrome Cat. No.
Support bracket 18" (457 mm)	SMB18
Support bracket 21" (534 mm)	SMB21
Support bracket 24" (610 mm)	SMB24
Cantilever arm 12" (305 mm)	PCA12
Cantilever arm 15" (381 mm)	PCA15
Cantilever arm 18" (457 mm)	PCA18
Wall mount bracket	WMB
Double support bracket 18" (457 mm)	SMB18-2
Double support bracket 21" (534 mm)	SMB21-2
Double support bracket 24" (610 mm)	SMB24-2
Double Clip	PCC-2


Note:

- For Add-on units in continuous straight line add PAH/Post and Shelves for cantilever style.
- User must determine capability of wall to support fully loaded unit.
- Wall mounting bolts not included.
- 12" (305mm) and 15" (381mm) depths require cantilever arms **Cat. No. PCA12 or PCA15.**
- 18" (381mm), 21" (534mm) and 24" (610mm) depths require support bracket **Cat. No. SMB.**

DIRECT WALL MOUNT STYLES

Description	Chrome Cat. No.
Wall bracket 12" (305 mm)	DSMB12
Wall bracket 15" (381 mm)	DSMB15
Wall bracket 18" (457 mm)	DSMB18
Wall bracket 21" (534 mm)	DSMB21
Wall bracket 24" (610 mm)	DSMB24
Wall bracket (double) 12" (305 mm)	DSMB12-2
Wall bracket (double) 15" (381 mm)	DSMB15-2
Wall bracket (double) 18" (457 mm)	DSMB18-2
Wall bracket (double) 21" (534 mm)	DSMB21-2
Wall bracket (double) 24" (610 mm)	DSMB24-2

- To be used with Shelves.
- User must determine capability of wall to support fully loaded unit.
- Wall mounting bolts not included.



SHELVING SYSTEM

Security Units, Carts and Modules



SEC484F

SECURITY UNITS AND CARTS

Security units are an ideal method for storing and transporting valuable material. The open wire construction 2" x 2" (508x508mm) allows for visibility into the unit so items can be checked any time.

Casters may be added to a security unit in order to provide a mobile unit. For mobile heavy-duty transport applications, a dolly base and 6" (1524mm) casters are available.

When determining the desired number of shelves, include one top and one bottom shelf.

Example: SEC484F has four shelves.

Three are usable for storage and the fourth is the top of the unit.

STATIONARY UNITS

Nominal Size In.	mm	Weight		3 SHELVES Finish Chrome Cat. No.		4 SHELVES Finish Chrome Cat. No.		5 SHELVES Finish Chrome Cat. No.		
		lbs.	kg	Weight lbs.	kg	Weight lbs.	kg	Weight lbs.	kg	
24x30x60	610x762x1524	166	75.3	SEC303F	176	79.8	SEC304F	186	84.4	SEC305F
24x36x60	610x915x1524	216	98.0	SEC363F	228	103.4	SEC364F	244	110.7	SEC365F
24X48X60	610x1220x1524	262	118.8	SEC483F	262	118.8	SEC484F	294	133.4	SEC485F
24X60X60	610x1524x1524	296	134.3	SEC603F	316	143.3	SEC604F	336	152.4	SEC605F

To create a mobile unit, use same Cat No. as above and order stem casters separately. Needs 4-5C Swivel casters. Also available in Tech-Seal® or Stainless Steel finish.

MOBILE HEAVY-DUTY (DOLLY BASES)

24x30x68	610x762x1524	225	102.1	SEC303DH	235	106.6	SEC304DH	245	111.1	SEC305DH
24x36x68	610x915x1524	284	128.8	SEC363DH	298	135.2	SEC364DH	314	142.4	SEC365DH
24X48X68	610x1220x1524	339	153.8	SEC483DH	355	162.0	SEC484DH	371	168.3	SEC485DH
24X60X68	610x1524x1524	387	175.5	SEC603DH	407	184.6	SEC604DH	427	193.7	SEC605DH

- Available with 5" (127mm) or 6" (152mm) casters. Add suffix 5 or 6 to Cat. No.
- Specify Nickel Chrome dolly base for ESD application.

Note: Security Units and Carts are shipped fully assembled.



SEC304DH

SECURITY MODULES

Create a secure area between two standard Shelves. Kit includes back panel, side panels, door and slides.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.	
		lbs.	kg	Weight lbs.	kg
24x30x20	610x762x508	30	13	SEC2430MOD	
24x48x20	610x1220x508	40	18	SEC2448MOD	
24x60x20	610x1524x508	45	20	SEC2460MOD	

Note: Posts and shelves must be ordered separately.



SHELVING SYSTEM

Mini Security & Utility Carts
Strong, Economical, Flexible and Versatile.

*Utility carts can be completely customized with accessories to suit any need.
Push handles can be imprinted with company or department name.*

MINI SECURITY CARTS

Height In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
18x30x36	457x762x915	75	34.0	MB1830-1
18x30x36	457x762x915	80	36.3	MB1830US

MB1830US includes two 14-6-2H drawers and stainless steel solid shelves at top and bottom of unit.



MB1830-1

UTILITY CARTS-2 WIRE SHELVES

Height In.	mm	Weight		Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.
		lbs.	kg			
18x24	457x610	40	18.1	C282	TC282	SC282
18x30	457x762	43	19.5	C283	TC283	SC283
18x36	457x915	48	21.8	C284	TC284	SC284
18x42	457x1067	52	23.6	C285	TC285	SC285
18x48	457x1220	54	24.5	C286	TC286	SC286
21x36	534x915	56	25.4	C214	TC214	SC214
24x24	610x610	58	26.3	C242	TC242	SC242
24x30	610x762	60	27.2	C243	TC243	SC243
24x36	610x915	63	28.6	C244	TC244	SC244
24x42	610x1067	65	29.5	C245	TC245	SC245
24x48	610x1220	67	30.4	C246	TC246	SC246

- Includes 3" (76mm) donut bumpers, 4x1" (127x25mm) semi resilient rubber swivel casters and push handle.
- Shipped KD. Post height 30" (762mm).
- Shelf cover available
- Other sizes available



C244



UTILITY CARTS-3 WIRE SHELVES

Height In.	mm	Weight		Finish Chrome Cat. No.	Finish Tech-Seal® Cat. No.	Finish Stainless Cat. No.
		lbs.	kg			
18x24	457x610	47	21.3	C382	TC382	SC382
18x30	457x762	51	23.1	C383	TC383	SC383
18x36	457x915	58	26.3	C384	TC384	SC384
18x42	457x1067	63	28.6	C385	TC385	SC385
18x48	457x1220	67	30.4	C386	TC386	SC386
21x36	534x915	68	30.8	C314	TC314	SC314
24x24	610x610	69	31.3	C342	TC342	SC342
24x30	610x762	72	32.7	C343	TC343	SC343
24x36	610x915	75	34.0	C344	TC344	SC344
24x42	610x1067	79	35.8	C345	TC345	SC345
24x48	610x1220	83	37.6	C346	TC346	SC346

- Includes 3" (76mm) donut bumpers, 4x1" (127x25mm) semi resilient rubber swivel casters and push handle.
- Shipped KD. Post height 30" (762mm).
- Shelf cover available
- Other sizes available



C344



DUNNAGE RACKS & INVERTED SHELF

Dunnage racks for dry storage and refrigerated applications. Keeps heavy loads off floors.

Inverted shelves retain stored items using the shelf's perimeter ledge – Ideal for light duty applications



PFM1848

DUNNAGE RACKS (STATIONARY OR MOBILE)

Nominal Size		Weight		Finish
In.	mm	lbs.	kg	Chrome Cat. No.
18x24	457x610	26	11.8	PFM1824
18x30	457x762	28	12.7	PFM1830
18x36	457x915	31	14.1	PFM1836
18x48	457x1220	33	15.0	PFM1848
24x24	610x610	28	12.7	PFM2424
24x30	610x762	30	13.6	PFM2430
24x36	610x915	33	15.0	PFM2436
24x48	610x1220	35	15.9	PFM2448
24x54	610x1372	38	17.2	PFM2454
24x60	610x1829	40	18.1	PFM2460

- Heavy-duty welded frame.
- Mobile Height - 16 1/2" (419mm).
- Wire shelf attaches to frame and supports full loads.
- For mobile add prefix "M" to Cat. No..
- Stationary Height - 10 1/2" (267mm).
- Easy to clean under.



Inverted Shelf 1848R-IV

INVERTED SHELVES

Nominal Size		Weight		Finish	Finish
In.	mm	lbs.	kg	Chrome Cat. No.	Tech-Seal® Cat. No.
15x36	381x915	6	2.7	1536R-IV	T1536R-IV
15x48	381x1220	7	3.2	1548R-IV	T1548R-IV
15x60	381x1524	10	4.5	1560R-IV	T1560R-IV
18x36	457x915	8	3.6	1836R-IV	T1836R-IV
18x48	457x1220	10	4.5	1848R-IV	T1848R-IV
18x60	457x1524	14	6.4	1860R-IV	T1860R-IV
24x36	610x915	10	4.5	2436R-IV	T2436R-IV
24x48	610x1220	12	5.4	2448R-IV	T2448R-IV
24x60	610x1524	16	7.3	2460R-IV	T2460R-IV



Inverted Shelf Unit

FLOOR TRACK SYSTEM

High-density floor track system is unique and versatile enough to solve any storage problem. Storage capacity and efficiency are maximized. Increase storage capacity by 40% and more with this economical product.



FLOOR TRACK SYSTEM

This floor track system permits very heavy loads to move with ease. All shelving systems can be use to create a high capacity storage area while supplying specific solutions to storage problems.

The ball bearing carriage design allows units to move easily (up to 2000 lbs. (907kg)). The aluminum extruded "V" groove floor track is low profile (non-trip) and is easy to clean. Layout and pricing assistance is available.

- Shelving sizes and finishes on page 6 and 7.
- Layout, price and size upon request.



FLEXIBLE SYSTEM

FLEXIBLE CART - SINGLE SIDED

Nominal Size		Weight		Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®
				Cat. No.	Cat. No.
20x50x78	508x1270x1981	121	55	AF005	TAF005

Complete with:

- 3 single sided baskets
- 3 shelves
- Label holders
- Donut bumpers
- 4- 5" (127mm) swivel casters, 2 with brakes

FLEXIBLE CART - COMBO BASKET/SHELF

Nominal Size		Weight		Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®
				Cat. No.	Cat. No.
20x50x78	508x1270x1981	85	39	AF010	TAF010

Complete with:

- 6 supply baskets
- 1 shelf
- 20 basket dividers
- Label holders
- Donut bumpers
- 4- 5" (127mm) swivel casters, 2 with brakes

FLEXIBLE CART - COMBO BASKET/SHELF/DRAWER

Nominal Size		Weight		Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®
				Cat. No.	Cat. No.
25x50x78	635x1270x1981	130	59	AF020	TAF020

Complete with:

- 5 supply baskets 24" (610mm)
- 5 shelves 24" (610mm)
- 2 shelves 48" (1220mm)
- 5 basket dividers
- 5 drawers with dividers and index pockets
- Label holders
- Donut bumpers
- 4- 5" (127mm) swivel casters, 2 with brakes

FLEXIBLE CART - BASKET/SHELF

Nominal Size		Weight		Finish	Finish
In.	mm	lbs.	kg	Chrome	Tech-Seal®
				Cat. No.	Cat. No.
20x50x66	508x1270x1676	140	64	PLIV48	TPLIV48

Complete with:

- 3 supply baskets with 20 dividers
- 3 shelves with 6 dividers
- 3 drawers with dividers
- Label holders
- Donut bumpers
- 4- 5" (127mm) swivel casters



AF005



AF010



AF020



PLIV48

FLEXIBLE SYSTEM

These carts provide an efficient mobile means of storing sutures and small supply items in high usage areas within various departments. Slanted double or single sided baskets provide excellent visibility, organization and inventory control.



909-246-B



STR448AP



SL548

STACKING BASKET SYSTEMS

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
20x24x66	508x610x1676	92	41.7	909-246-B
20x48x66	508x1220x1676	120	54.4	909-486-B

Model 909-246-B includes:
 6 baskets, 10 dividers,
 6 label holders, 2-5" (127mm) swivel casters,
 2-5" (127mm) swivel brake casters.

Model 909-486-B includes:
 6 baskets, 20 dividers, 6 label holders and 4-5" (127mm) swivel casters.

SUTURE CARTS

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
22x26x55	559x660x1397	55	25	SL424
22x38x55	559x965x1397	63	29	SL436
22x50x55	559x1270x1397	71	32	SL448
22x26x68	559x660x1727	65	29	SL524
22x38x68	559x965x1727	75	34	SL536
22x50x68	559x1270x1727	85	39	SL548
22x26x55	559x660x1397	75	34	STR424AP
22x38x55	559x965x1397	83	38	STR436AP
22x50x55	559x1270x1397	91	41	STR448AP
22x26x68	559x660x1727	90	40	STR524AP
22x38x68	559x965x1727	100	45	STR536AP
22x50x68	559x1270x1727	110	50	STR548AP

Models SL424, SL436 and SL448 include:
 4 slanted baskets, 4 label holders, 2-5" (127mm) swivel casters,
 2-5" (127mm) swivel brake casters and donut bumpers.

Models SL524, SL536 and SL548 include:
 5 slanted baskets, 5 label holders, 2-5" (127mm) swivel casters,
 2-5" (127mm) swivel brake casters and donut bumpers.

Models STR424AP, STR436AP and STR448AP include:
 4 double slanted baskets, 4 label holders and 4-5" (127mm) swivel casters.

Models STR524, STR536 and STR548AP include:
 5 double slanted baskets, 5 label holders and 4-5" (127mm) swivel casters.

I.V. SOLUTION CARTS

We offer a variety of carts to manage I.V. storage and transport. The use of dividable baskets on dollies provide high capacity storage, product separation and ease of use.

MINI I.V. CART

Nominal Size		Weight		Finish Chrome Cat. No.
In.	mm	lbs.	kg	
22x26x48	559x660x1220	90	40.8	IV40

- Complete with 10 dividers and 4- 5" (127mm) swivel casters.
- Contains 4 interlocking baskets.
- Also available with 6" (152mm) heavy duty casters.

I.V. TRANSPORT CART

Nominal Size		Weight		Finish Chrome Cat. No.
In.	mm	lbs.	kg	
20x50x48	559x1270x1220	125	57	IV80

- Complete with 20 dividers and 4- 5" (127mm) swivel casters.
- Contains 8 interlocking baskets.
- Dolly with handle.
- Also available with 6" (152mm) heavy duty casters.


I.V. DISPENSING CARTS

Nominal Size		Weight		Finish Chrome Cat. No.
In.	mm	lbs.	kg	
24x24x69	610x610x1753	85	39	IV2424
24x42x69	610x1067x1753	150	68	IV2445
24x63x69	610x1600x1753	220	100	IV2463

- Load from the back, take from the front.
- Complete with baskets, dividers and label holders.
- 4- 6" (152mm) swivel casters, 1 with lock.



IV40



IV80



IV2424/IV2445

TUBULAR / SUPPLY CARTS

*Designed for strength and versatility. The tubular frame is welded to the dolly base to provide a durable one-piece unit.
A variety of sizes and configurations are available.*



CTU-48



CVTU-6040



SVTU7040

TUBULAR CARTS

Open shelves for linen and O.R. packs.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
26x51x66	660x1295x1676	145	65.8	CTU-48
26x63x66	660x1600x1676	169	76.7	CTU-60

Standard features include:

- 4 wire shelves.
- Dolly base of all welded steel provides stability with wraparound bumper to protect walls and doors.
- Stainless Steel bottom shelf for cleanliness.
- 4- 6" (152mm) Heavy-duty casters - 3 swivels and 1 swivel-lock for easy transport.

TUBULAR CARTS

With drawers for supply systems.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
26x54x66	660x1372x1676	184	83.5	CVTU-4840
26x66x66	660x1676x1676	205	93.0	CVTU-6040
26x80x66	660x2032x1676	230	104.3	CVTU-8040

- 1 dolly base with wraparound bumper and stainless bottom shelf.
- 4 adjustable nickel chrome wire shelves.
- Back screen 3"x3" (76x76mm) mesh.
- Label Holders.
- 7 drawers (dividers: 1 long, 2 short and index pockets included).
- 4- 6" (152mm) casters: 2 swivels, 2 rigid.

TUBULAR CARTS

Without dolly for par-level applications.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
24x63x65	610x1600x1651	185	83.9	SVTU5040
24x78x65	610x1981x1651	200	90.7	SVTU7040

- 4 adjustable nickel chrome wire shelves.
- Back screen 3"x3" (76x76mm) mesh.
- Label Holders.
- 7 drawers (dividers: 1 long, 2 short and index pockets included).
- 4- 6" (152mm) casters: 2 swivels, 2 rigid.

TUBULAR SUPPLY & DRAWER CARTS

These carts utilize a combination of wire shelves and/or plastic storage bins to provide a variety of storage solutions. The tubular frames are designed for strength and versatility in everyday use, incorporating a steel dolly base.

TUBULAR CART

With double row of drawers.

Nominal Size		Weight		Finish
In.	mm	lbs.	kg	Chrome
				Cat. No.
26x74x66	660x1880x1676	250	113.4	ORVTU

- 1 dolly base with wraparound bumper and Stainless Steel bottom shelf.
- 3 adjustable nickel chrome wire shelves.
- Back screen 3"x3" (76x76mm) mesh.
- Label Holders.
- 14 drawers (dividers: 1 long, 2 short and index pockets included).
- 4- 6" (152mm) casters: 2 swivels, 2 rigid.



ORVTU

DRAWER CARTS

Available in 1, 2 or 3 stacks of drawers to provide high capacity storage in a small footprint.

Nominal Size		Weight		Finish
In.	mm	lbs.	kg	Chrome
				Cat. No.
22x26x56	559x660x1422	95	43.1	DRAW-7
22x45x56	559x1143x1422	155	70.3	DRAW-14
22x64x56	559x1626x1422	220	100.0	DRAW-21

- Cart includes **TB40** drawers, drawer dividers (1 long, 2 short per drawer) and index pockets.
- Standard 5" (127mm) plate casters.
- Dolly base.



DRAW-7


DRAW-14



DRAW-21

TUBULAR / SUPPLY CARTS

Accessories



TUBULAR SHELVES


Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
21½x47¼	546x1213	44	19.9	TU48R
21½x59¾	546x1517	51	23.1	TU60R



FRONT OR BACK LEDGES 3" (76mm) height.

Attached to shelf

Shelf Size		Weight		Finish
In.	mm	lbs.	kg	Chrome
				Cat. No.
24	610	1	.5	TL243
30	762	1.3	.6	TL303
36	915	1.5	.7	TL363
42	1067	1.7	.8	TL423
48	1220	1.9	.9	TL483
54	1372	2.1	1.0	TL543
60	1524	2.3	1.1	TL603
72	1829	2.7	1.2	TL723



WIRE SHELF DIVIDERS Designed for wire shelves to keep them continuously organized, in 6" (152mm) or 8" (203mm) height, dividers lock on the shelf.

Shelf Size		Weight		6" Height	8" Height
In.	mm	lbs.	kg	Finish	Finish
				Chrome	Chrome
				Cat. No.	Cat. No.
12	305	1	.5	PD126	PD128
15	381	1	.5	PD156	PD158
18	457	1.4	.6	PD186	PD188
21	534	1.4	.6	PD216	PD218
24	610	1.4	.6	PD246	PD248



CATHETER HOLDER

Mount on end of cart, holds foleys.

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
17½x3¾x40¼	454x953x1022	12	5.4	CAT-15



DRAWERS / DIVIDERS

Weight	Description	Cat. No.
lbs.	kg	
3.5	1.6	Medium drawer 17"x22"x6" H (432x559x152mm)
		Long Divider
		Short Divider
		Index pocket
		TB40
		DV22
		DV17
		CH30



LABEL HOLDERS

Description	Slotted	Sloped	Slotted
	Cat.No.	Cat.No.	Cat.No.
For CVTU4840	R131	S131	
For CTU48	R146	S146	
For CTU60	R158	S158	
For CVTU6040	R141	S141	R158
For CVTU8040	R158	S158	
For ORVTU	R131	S131	R135

OVER THE ROAD CARTS

These unique products are designed for strength and durability. Built for over-the-road use, the product has a heavy-duty welded dolly base and a tubular frame.

WINDSOR CARTS

Fixed shelves

Nominal Size In.	mm	Weight		Shelves	Finish Chrome Cat. No.
		lbs	kg		
24x60x71	610x1524x1803	180	81.6	3	WRW60
24X60X71	610x1524x1803	180	81.6	3	WRF60

- Dolly base tubular cart shown with optional doors.
- Fully welded back enclosure.
- Front doors swing 270°.
- **Casters not included, review page 16 for load capacity.**
- Model **WRW60**: with bottom wire shelf.
- Model **WRF60**: with solid Stainless Steel bottom shelf.

LONDON CARTS

Converts from clean to bulk soiled.

Nominal Size In.	mm	Weight		Shelves	Finish Chrome Cat. No.
		lbs	kg		
24x60x65	610x1524x1651	180	81.6	3	LNW60
24x60x65	610x1524x1651	180	81.6	3	LNF60

- Heavy-duty dolly base and tubular steel frame.
- Rear doors open for easy unloading.
- Front doors swing 270°.
- 2 drop shelves for returning soil linen to laundry.
- **Casters not included, review page 16 for load capacity.**
- Model **LNW60**: with bottom wire shelf.
- Model **LNF60**: with solid Stainless Steel bottom shelf.

HEAVY-DUTY OVER THE ROAD CART

Transport bulk supplies or totes from off-site warehouse facilities.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs	kg	
24x69x66¼	610x1753x1683	182	82.6	BAX65

- Shelves are sold separately #BAX65-SH
- **Casters not included, review page 16 for load capacity.**
- Heavy-duty dolly base with wraparound bumper.
- Solid Stainless Steel bottom shelf.

OFFSITE DISTRIBUTION CART

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs	kg	
28x68x74½	711x1727x1892	218	89	LEVBC65

- Fabricated from 1¼" (32mm) steel tube frame.
- Base of 1" (25mm) square tube construction with wraparound bumper.
- Open side features nylon cargo net.
- Standard 6" (152mm) casters, solid elastomer rated at 400 lbs (181kg).

Options:

- Wire bottom shelf #LEVBC65-BS
- Alternate casters.



WRW60



LNF60




BAX65



LEVBC65

SPECIALITY CARTS

These specialty carts show the flexibility of our products. Standard products are used to configure the specialized carts shown.



VM2136

MONITOR CART

Effective system for managing monitoring equipment and accessories.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
21x36x78	534x915x1981	125	56.7	VM2136

- Total adjustability in 1" (25.4mm) increments.
- Cart equipped with end and back panels to secure monitors.
- Unit contains two sliding drawers, each with dividers.
- 4- 5" (127mm) swivel casters and donut bumpers.
- Adjustable push handle with imprint insert.
- Locking doors available.



COMP2424

COMPUTER CART

Rugged cart with adjustable shelves.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.	Finish Stainless Cat. No.
		lbs.	kg		
24x24x36	610x610x915	48	21.8	COMP2424	SCOMP2424

- Mobile work station for computer.
- 4- 5" (127mm) swivel casters - 2 with brakes.
- Donut bumpers to protect walls and doors.
- Handle with plastic insert can be used to inscribe department name.



TUC2172

SUPPLY CARTS

Enclosed cart with adjustable shelves. Drawers can be located as required.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
21x36x66	533x914x1676	120	54	TUC2136
21x48x66	533x1220x1676	128	58	TUC2148
21x60x66	533x1524x1676	140	64	TUC2160
21x72x66	533x1829x1676	160	73	TUC2172

- Post 60" (1524mm).
- 6 shelves, adjustable every 1" (25mm).
- Back screen.
- End screens.
- 4 drawers (except model TUC2136; 2 drawers).
- Label holders.
- 4- 5" (127mm) swivel casters, 2 with brake.
- Donut bumpers.

SPECIALITY CARTS



2449-30

APPAREL CARTS

Designed for efficient distribution of patient apparel using a system of individual compartments for folded clothing and an area for hanging garments.

Nominal Size In.	mm	Weight		Finish
		lbs.	kg	Chrome Cat. No.
26x62x66	660x1575x1676	175	79.4	2449-30
26x62x66	660x1575x1676	230	104.3	2461-40

- Comes complete with label holders.
- Model 2449-30: with 30" (762mm) hanger and 30 compartments.
- Model 2461-40: with 24" (610mm) hanger and 40 compartments.
- 4- 5" (127mm) swivel casters.
- Dolly base 1"x1" (25x25cm) with wraparound bumper.
- Shipped assembled.
- Hangers not included.



UR48

UNIFORM / COAT RACKS

Convenient means of storing - transporting lab coats, uniforms or any hanging garments.

Nominal Size In.	mm	Weight		Finish Chrome	Finish Tech-Seal®
		lbs.	kg	Cat. No.	Cat. No.
18x36x77	457x915	52.5	23.8	UR36	TUR36
18x36x77	457x915	60	27.2	CR36	TCR36
18x48x77	457x1220	64	29.0	UR48	TUR48
18x48x77	457x1220	71.5	32.4	CR48	TCR48
18x60x77	457x1524	78	35.4	UR60	TUR60
18x60x77	457x1524	85.5	38.8	CR60	TCR60

- Model UR - includes 4 posts, 2 wire shelves, rods, donut bumpers and 5" (127mm) swivel casters.
- Model CR - includes same components as Model UR + additional bottom drip shelf.
- Hangers not included.




5048-18

COAT RODS

Coat Rod can be added to any wire shelving unit. Specify depth of shelf when ordering.

Shelf Length In.	mm	Weight		Finish Chrome
		lbs.	kg	Cat. No.
24	610	2.0	0.9	5024
30	762	2.0	0.9	5030
36	915	2.5	1.1	5036
42	1067	3.0	1.4	5042
48	1220	3.0	1.4	5048
54	1372	3.5	1.6	5054
60	1524	3.5	1.6	5060
72	1828	4.0	1.7	5072



OH16

CRH

HANGERS : Open Cat.No. **OH16**
Closed Cat No. **CRH**

SPECIALITY CARTS

STORAGE BINS

Nominal Size In.	mm	Weight lbs. kg		Finish Chrome Cat. No.
24x24x33	610x610x838	22	10.0	C2424SHRE-CR
36x36x33	914x914x838	30	13.6	C3636SHRE-CR

- For light-duty use.
- Shelf can be set to 4 different heights to maintain a full look.
- Sign holder included.

FLOOR SERVICE CART

For bagged linen

Nominal Size In.	mm	Weight lbs. Kg		Finish Chrome Cat. No.
24x54x36	610x1372x914	110	50	VRA2442-6

- Designed for bagged linen.
- 6 fixed compartments on top.
- 4 adjustable sections at bottom.
- 2 - 24"x42" (610x1067mm) shelves.
- 1 - 4"x4"x22" (102x102x559mm) fixed basket on top.
- 2 handles.
- 4 - 5" (127mm) casters; 2 swivel, 2 swivel brake.
- Back and end screens, divider and front ledge.
- Donut bumpers.
- Shipped assembled.

HAMPER CARTS

Nominal Size In.	mm	Weight lbs. Kg		Description	Finish Chrome Cat. No.
12x19x38	305x483x965	6	2.7	single	CA20
12x19x38	305x483x965	8	3.6	single + lid	CA21
22x27x38	559x686x965	34	15.4	double + lid	CA23
43x27x38	1092x686x965	45	20.4	quadruple + lid	CA29

- 1" (25.4mm) tubular construction.
- 3" (76mm) swivel casters.
- Models CA23 and CA29 have wraparound bumpers to protect doorways and walls.
- Bags not included.



C1818SHRE-CR



VRA2442-6



CA29/CA21/CA23

J CORGT CARTS

FEATURES & BENEFITS:

- Rust-proof stainless steel frame provides long-term durability
- 1, 2, 3, or 4 bag configurations are available to meet your specific requirements
- Snug-fitting lids control odours
- Unique fitting ring holds bags securely in place
- Quality, full-swivel wheels allow for ease of mobility
- Limited lifetime warranty



STYLE NUMBER	DIMENSIONS
LC-2000-1	19" wide x 15" long x 37" high (48 cm. wide x 38 cm. long x 94 cm. high)
LC-2000-2	19" wide x 26" long x 37" high (48 cm. wide x 66 cm. long x 94 cm. high)
LC-2000-3	19" wide x 39" long x 37" high (48 cm. wide x 99 cm. long x 94 cm. high)
LC-2000-4	19" wide x 53" long x 37" high (48 cm. wide x 135 cm. long x 94 cm. high)

Please note: Last digit of style number represents number of bags that can be hung from cart.

Section Being Rebuilt.

SPECIALTY CARTS

Versatile, efficient specialty carts can be applied to many material handling situations.



909-326-2GY

EXPRESS CART

Nominal Size In.	mm	Weight		Finish Tech-Seal® Cat. No.
		lbs.	kg	
20 ³ / ₈ x27 ⁵ / ₈ x40 ¹ / ₁₆	517x702x1037	37	17	909-326-2GY

- 2 basket cart.
- Payload capacity: 7,900 cu.in (129 litres).
- Cart nesting: 7¹/₂" (191mm).
- 4-5" (127mm) casters: 2 rigid, 2 swivel.



CYL15

CYLINDER CART

Nominal Size In.	mm	Weight		Finish Chrome/PVC Cat. No.
		lbs.	kg	
17x26x34	432x660x864	48	22	CYL15

- Constructed for easy and safe transport of cylinder type "D" and "E" for laboratories and productions usage.
- Capacity of 12 cylinders.
- PVC dipped rack quietly holds cylinder in place.
- 4 donut bumpers to protect walls and doors.
- 4-5" (127mm) swivel casters.



909-112-2CR

PUSH CART

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
21x37 ¹ / ₄ x39 ¹ / ₈	533x946x994	48.5	22	909-112-2CR

- Ideal to pick up or distribute small items.
- Payload capacity: 12,200 cu.in. (200 litres).
- Cart nesting: 9¹/₈" (231mm).
- Tubular steel one-piece frame.
- Plastic handle with printed insert.
- 4-5" (127mm) casters: 2 rigid, 2 swivel.

SPECIALTY CARTS

Available in a variety of sizes and configurations.
All are designed with efficient storage and distribution capabilities.

ROLLING DESK

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
22x22x45 1/4	559x559x1150	100	45	RD2020

- Ideal to pick up or distribute small items.
- Tubular steel handle and frame.
- 4-5" (127mm) casters: 2 rigid, 2 swivel.
- Finish: Nickel Chrome and Epoxy color.

MAIL CARTS

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
32x20x37 (complete cart)	813x508x940	42	19.1	CA-2CR
25x18x11 (top basket)	635x457x279	8	3.6	CA-3CR
25x18x7 (bottom basket)	635x457x178	6	2.7	CA-4CR

- Donut bumpers included.
- 4-5" casters (127mm) 2 swivel, 2 rigid with brakes.
- Removable baskets.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
22 1/4x45x38 (complete cart)	565x1143x965	60	27	CA-2DOLF
17x37x12 (top basket)	432x940x305	12	5.4	CA-2BTOLF
17x37x7 (bottom basket)	432x940x178	10	4.5	CA-2BBOLF

- 4-5" casters (127mm) 2 swivel, 2 rigid.
- Removable baskets.
- Donut bumpers included.

Nominal Size In.	mm	Weight		Finish Chrome Cat. No.
		lbs.	kg	
22 1/4x45x38 (complete cart)	565x1143x965	65	29.5	CA-2DOLF10
17x37x12 (top basket)	432x940x305	12	5.4	CA-2BTOLF
17x37x7 (bottom basket)	432x940x178	10	4.5	CA-2BBOLF

- 2-5" (127mm) swivel casters (front).
- 2-10" (254mm) rigid casters (back).
- Removable baskets.
- Donut bumpers optional.



RD2020




CA-2CR



CA-2DOLF

FLEXIBLE SYSTEM

*Components and accessories required
to assemble Starter/Add-on units*



FLEXIBLE SYSTEM

Components



CFTS2448

TOP SHELVES

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x24	305x610	4	1.8	CFTS1224
12x30	305x762	5	2.3	CFTS1230
12x36	305x915	6	2.7	CFTS1236
12x48	305x1220	8	3.6	CFTS1248
12x60	305x1524	10	4.5	CFTS1260
18x24	457x610	5	2.3	CFTS1824
18x30	457x762	6	2.7	CFTS1830
18x36	457x915	7	3.2	CFTS1836
18x48	457x1220	9	4.1	CFTS1848
18x60	457x1524	11	5.0	CFTS1860
24x30	610x762	6	2.7	CFTS2430
24x36	610x915	9	4.1	CFTS2436
24x48	610x1220	12	5.4	CFTS2448
24x60	610x1524	15	6.8	CFTS2460
30x36	762x915	12	5.4	CFTS3036
30x48	762x1220	16	7.2	CFTS3048
30x60	762x1524	20	9.1	CFTS3060



CFSH2448

MIDDLE SHELVES

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x24	305x610	4	1.8	CFSH1224
12x30	305x762	5	2.3	CFSH1230
12x36	305x915	6	2.7	CFSH1236
12x48	305x1220	8	3.6	CFSH1248
12x60	305x1524	10	4.5	CFSH1260
15x30	381x762	6	2.7	CFSH1530
15x36	381x915	7	3.2	CFSH1536
15x48	381x1220	8	3.6	CFSH1548
15x60	381x1524	9	4.1	CFSH1560
18x30	457x762	6	2.7	CFSH1830
18x36	457x915	7	3.2	CFSH1836
18x42	457x1067	8	3.6	CFSH1842
18x48	457x1220	9	4.1	CFSH1848
18x60	457x1524	11	5.0	CFSH1860
18x72	457x1829	13	5.9	CFSH1872
24x30	610x762	6	2.7	CFSH2430
24x36	610x915	8	3.6	CFSH2436
24x48	610x1220	10	4.5	CFSH2448
24x60	610x1524	13	5.9	CFSH2460
24x72	610x1829	16	7.2	CFSH2472
30x36	762x915	10	4.5	CFSH3036
30x48	762x1220	13	5.9	CFSH3048
30x60	762x1524	15	6.8	CFSH3060



CFBS2448

BOTTOM SHELVES

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x24	305x610	4	1.8	CFBS1224
12x30	305x762	5	2.3	CFBS1230
12x36	305x915	6	2.7	CFBS1236
12x48	305x1220	8	3.6	CFBS1248
12x60	305x1524	10	4.5	CFBS1260
18x30	457x762	6	2.7	CFBS1830
18x36	457x915	7	3.2	CFBS1836
18x48	457x1220	9	4.1	CFBS1848
18x60	457x1524	11	5.0	CFBS1860
24x30	610x762	6	2.7	CFBS2430
24x36	610x915	9	4.1	CFBS2436
24x48	610x1220	12	5.4	CFBS2448
24x60	610x1524	15	6.8	CFBS2460
30x36	762x915	12	5.4	CFBS3036
30x48	762x1220	16	7.2	CFBS3048
30x60	762x1524	20	9.1	CFBS3060

Note: The Flexible System is also available in black finish.

FLEXIBLE SYSTEM

Components



CFSHU2448

OPEN SHELVES

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x24	305x610	4	1.8	CFSHU1224
12x30	305x762	5	2.3	CFSHU1230
12x36	305x915	6	2.7	CFSHU1236
12x48	305x1220	8	3.6	CFSHU1248
12x60	305x1524	10	4.5	CFSHU1260
15x24	381x610	5	2.3	CFSHU1524
15x30	381x762	6	2.7	CFSHU1530
15x36	381x915	7	3.2	CFSHU1536
15x48	381x1220	8	3.6	CFSHU1548
15x60	381x1524	9	4.1	CFSHU1560
18x24	457x610	5	2.3	CFSHU1824
18x30	457x762	7	3.2	CFSHU1830
18x36	457x915	8	3.6	CFSHU1836
18x48	457x1220	9	4.1	CFSHU1848
18x60	457x1524	11	5.0	CFSHU1860
24x24	610x610	5	2.3	CFSHU2424
24x30	610x762	6	2.7	CFSHU2430
24x36	610x915	8	3.6	CFSHU2436
24x48	610x1220	10	4.5	CFSHU2448
24x60	610x1524	13	5.9	CFSHU2460




CFBK2436

WIRE BASKETS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x24	305x610	5	2.3	CFBK1224
12x30	305x762	6	2.7	CFBK1230
12x36	305x915	7	3.2	CFBK1236
12x48	305x1220	8	3.6	CFBK1248
12x60	305x1524	12	5.4	CFBK1260
18x24	457x610	6	2.7	CFBK1824
18x30	457x762	7	3.2	CFBK1830
18x36	457x915	8	3.6	CFBK1836
18x48	457x1220	12	5.4	CFBK1848
18x60	457x1524	15	6.8	CFBK1860
24x30	610x762	8	3.6	CFBK2430
24x36	610x915	10	4.5	CFBK2436
24x48	610x1220	13	5.9	CFBK2448
24x60	610x1524	16	7.2	CFBK2460

BACK SCREENS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
48x30	1220x762	9	4.1	CFPBC4830
48x36	1220x915	10	4.5	CFPBC4836
60x30	1524x762	11	5.0	CFPBC6030
60x36	1524x915	12	5.4	CFPBC6036
72x30	1829x762	13	5.9	CFPBC7230
72x36	1829x915	14	6.4	CFPBC7236



CFPBC4836

Note: The Flexible System is also available in black finish.

FLEXIBLE SYSTEM

Components




UPRIGHT ENDS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x30	305x762	8	3.6	CFSI1230-2
12x44	305x1118	10	4.5	CFSI1244-2
12x54	305x1372	11	5.0	CFSI1254-2
12x60	305x1524	13	5.9	CFSI1260-2
12x72	305x1829	15	6.8	CFSI1272-2
12x84	305x2134	17	7.7	CFSI1284-2
18x30	457x762	11	5.0	CFSI1830-2
18x44	457x1118	13	5.9	CFSI1844-2
18x54	457x1372	15	6.8	CFSI1854-2
18x60	457x1524	17	7.7	CFSI1860-2
18x72	457x1829	19	8.6	CFSI1872-2
24x30	610x762	13	5.9	CFSI2430-2
24x44	610x1118	15	6.8	CFSI2444-2
24x54	610x1372	17	7.7	CFSI2454-2
24x60	610x1524	21	9.5	CFSI2460-2
24x72	610x1829	23	10.4	CFSI2472-2
30x44	762x1118	18	8.2	CFSI3044-2
30x60	762x1524	24	10.9	CFSI3060-2
30x72	762x1829	26	11.8	CFSI3072-2
30x84	762x2134	30	13.6	CFSI3084-2

MIDDLE UPRIGHTS (ADD-ON)

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x44	305x1118	16	7.3	CFMI1244-2
12x54	305x1372	18	8.2	CFMI1254-2
12x60	305x1524	19	8.6	CFMI1260-2
12x72	305x1829	25	11.3	CFMI1272-2
12x84	305x2134	28	12.7	CFMI1284-2
18x44	457x1118	18	8.2	CFMI1844-2
18x54	457x1372	20	9.1	CFMI1854-2
18x60	457x1524	21	9.5	CFMI1860-2
18x72	457x1829	27	12.2	CFMI1872-2
24x44	610x1118	26	11.8	CFMI2444-2
24x54	610x1372	28	12.7	CFMI2454-2
24x60	610x1524	30	13.6	CFMI2460-2
24x72	610x1829	35	15.9	CFMI2472-2
30x44	762x1118	34	15.4	CFMI3044-2
30x54	762x1372	36	16.3	CFMI3054-2
30x60	762x1524	38	17.2	CFMI3060-2
30x72	762x1829	40	18.1	CFMI3072-2
30x84	762x2134	42	19.1	CFMI3084-2



PEG PANELS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
24x12	610x305	2	.9	CFPEG2412
30x12	762x305	2	.9	CFPEG3012
36x12	915x305	3	1.4	CFPEG3612
36x36	915x915	9	4.1	CFPEG3636
48x12	1220x305	5	2.3	CFPEG4812
48x36	1220x915	12	5.4	CFPEG4836

WING ENDS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12x54	305x1372	2	.9	CFWE1254
12x60	305x1524	3	1.4	CFWE1260
12x72	305x1829	4	1.8	CFWE1272



Note: The Flexible System is also available in a black finish.

FLEXIBLE SYSTEM

Components




CFCB24



CFPCL



CFDVR30



CFDIV123



HB715



CFLH24R



CFLHB24R

CROSS BARS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
24	610	2	.9	CFCB24
30	762	3	1.4	CFCB30
36	915	4	1.8	CFCB36
42	1067	4	1.8	CFCB42
48	1220	5	2.3	CFCB48
60	1524	6	2.7	CFCB60
72	1829	8	3.6	CFCB72

POST CLAMP

Cat. No. CFPCL

WALL BRACKET

Cat. No. CFUMB

DIVIDER RODS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
30	762	0.41	.18	CFDVR30
36	915	0.50	.2	CFDVR36
48	1220	0.65	.3	CFDVR48
60	1524	0.83	.38	CFDVR60
72	1829	1.05	.48	CFDVR72

SHELF DIVIDERS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
12	305	0.5	.2	CFDIV123
18	457	0.75	.34	CFDIV183
24	610	1.0	.4	CFDIV243

ADD-ON BASKETS

Nominal Size		Weight		Finish
In.	mm	lbs	kg	Chrome
				Cat. No.
7x15x7	178x381x178	2.3	1.0	HB715
9x16x9	229x406x229	4.0	1.8	HB916

LABEL HOLDERS

Nominal Size		Description	Cat. No.
In.	mm		
24	610	Upper edge	CFLH24R
36	915	Upper edge	CFLH36R
42	1067	Upper edge	CFLH42R
48	1220	Upper edge	CFLH48R
24	610	Regular waterfall	CFLHB24R
36	915	Regular waterfall	CFLHB36R
42	1067	Regular waterfall	CFLHB42R
48	1220	Regular waterfall	CFLHB48R

Note: The Flexible System is also available in a black finish.

We Innovate.



CARTOLOGY
THE SCIENCE OF CARTS

Designed for healthcare, not adapted to it, these boldly stylish carts are built for productivity and performance. Attractive features combined with innovative ideas make these outstanding new products an essential for today's healthcare facilities."



"Reversible drawer/tray on both sides of cart."



"Full extension, roller bearing slides."



"Full length corner bumpers."



"Easy-grip drawer handles"



"High back molded top with built in push handles."



"High performance Tente® casters."

Emergency



A. Tall, standard width medical cart, all red with (6) drawers (3", 3", 3", 6", 6", 9"). Overall dimensions: 33" W x 27" D x 45" H #65333669. Shown with optional accessories.

B. Emergency Cart, side view

C. Emergency Cart, rear view

Pediatrics




A. X-Tall, standard width medical cart, graphite and blue with (7) drawers (3", 3", 3", 3", 6", 6", 9"). Overall dimensions: 33" W x 27" D x 48" H. #563333669

B. Medium, standard width medical cart, silver and multi with (9) 3" drawers. Overall dimensions: 33" W x 27" D x 42" H. #94333333333. Shown with optional accessories

C. Medium, standard width medical cart, silver and pink with (9) 3" drawers. Overall dimensions: 33" W x 27" D x 42" H. #94333333333

Emergency Accessory Package



A. IV Pole & Bracket, #560018


B. Oxygen Tank Bracket, #560026

C. Cardiac Board & Bracket, #560003

D. Plastic Seals, 100, #560027

E. Retractable Extension Cord, #560029

F. Waste Receptacle, internal medium, #560045



Anesthesia



A. Medium, standard width medical cart, graphite and green with (6) drawers, 3", 3", 3", 3", 6", 9". Overall dimensions: 33" W x 27" D x 42" H. #54333369. Shown with optional accessories.

B. X-Tall, standard width medical cart, graphite and buffed steel with (7) drawers (3", 3", 3", 3", 6", 6", 9"). Overall dimensions: 33" W x 27" D x 48" H. #563333669

C. Medium, wide width medical cart, silver and green with (6) drawers, 3", 3", 3", 6", 6", 6". Overall dimensions: 42" W x 27" D x 42" H. #973333666

Treatment & Procedure



A. X-Tall, standard width medical cart, all graphite with (7) drawers 3", 3", 3", 3", 6", 6", 9". Overall dimensions: 33" W x 27" D x 48" H. #563333669

B. Medium, narrow width medical cart, buffed steel with (5) drawers 3", 3", 6", 6", 9". Overall dimensions: 27" W x 27" D x 42" H #72333669

C. Short, narrow width medical cart, silver and black with (4) drawers 3", 6", 6", 9". Overall dimensions: 27" W x 27" D x 39" H #913669

Isolation



A. Medium, standard width medical cart, silver and yellow with (5) drawers 3", 3", 6", 6", 9". Overall dimensions: 33" W x 27" D x 42" H. #95333669. Shown with optional accessories.

B. Isolation Cart Pass-thru Linen Receptacle Option. #560021

Latex Free



A. Medium, standard width medical cart, silver and orange with (5) drawers 3", 3", 6", 6", 9". Overall dimensions: 33" W x 27" D x 42" H. #95333669

Accessories




- A.** Accessory Panels, 2 14" x 24" #560001
- B.** Accessory Rail System, 3 horizontal rails, #570000, 570001, 570002
- C.** Cardiac Board & Bracket, 18" x 24" x 3/8", #560003
- D.** Coat Hook, 2, #560005
- E.** Drawer Divider System w/trays, 3" deluxe #560015, 3" standard #560016, 6" standard #560017
- F.** Glove Box Holder, single-#560020, double #560019 not shown
- G.** IV Pole & Bracket, extends from 10" to 75", #560018
- H.** Magnet Clips, 3, #560022
- I.** Organizers, large #560023, small divided, #560024
- J.** Outlet Strip, hospital grade, #560025
- K.** Oxygen Tank Bracket, internal, fits D & E cylinders, #560026
- L.** Plastic Seals, 100, #560027
- M.** Push Button Lock, #560028
- N.** Retractable Extension Cord, hospital grade, #560029
- O.** Security Bags, 20, 3" drawer-560030, 6" drawer-560031
- P.** Sharps 5qt Container, red #560033, Lockable 5qt Bracket #560032
- Q.** Single Tier Shelf, shown w/2 accessory rails, #560056
- R.** Suction Shelf 16" W x 8" D, tapered height from 3" to 9", #560050
- S.** Swivel Shelf, laptops, monitors, defibs, #560035
- T.** Tape Dispenser, #560036
- U.** Tilt Bins set of 3 #560037, 4 #560038, 5 #560039, 6 #560040
- V.** Top, 33" w x 27" D x 3 " H, #560041
- W.** Utility Hooks, 2, #560042
- X.** Waste Receptacle, internal medium, #560045
- Y.** Wire Baskets, small #560049. 6 compartment #560047 not shown, large #560048, 3 compartment #560046


Drawer Color Options:



Graphite



Silver



White




Red



Blue




Orange



Pink



Green Metallic




Yellow



Buffed Steel



Purple



Black Metallic


Shell Color Options:



Graphite Texture



Red Texture



Silver Texture



TERMS AND CONDITIONS

ACCEPTANCE

All orders are subject to acceptance of terms and conditions of sale, regardless of the form in which submitted.

All orders are subject to price prevailing at date of shipment and are quoted ex-works shipping plant.

Custom-manufactured or special-order products may be subject to a deposit at time of order.

ORDER CONFIRMATION

To avoid order duplication, the word "CONFIRMATION" must appear on all documents that are sent to confirm orders already placed by telephone, by fax, or by any other method.

PAYMENT TERMS

Terms are Net 30 days, ex-works shipping plant (subject to credit approval). Freight, taxes, and handling charges are not subject to discount. An annual service charge of 18% will be assessed on past-due accounts.

SHIPMENTS

All shipments are FOB origin unless specified. If goods are damaged when received, buyer must declare damages at time of receipt of merchandise, directly on the shipping documents, and claim must be filed immediately with the transport company, copy to original point of sale. If after receipt of merchandise, concealed damage is discovered, buyer must immediately notify the delivering carrier and request an inspection. This inspection report should be used to support buyer's claim against the carrier. Any claim for damage or shortage must be filed by buyer with the delivering carrier, copy to original point of sale. Unless a preferred routing is specified at the time of order, shipment will be made the best way, transportation prepaid and added to invoice. For collect shipments, buyer is fully responsible for all damages and claims.

RETURN POLICY

- All returns must be authorized by original sales point.
- Each request must include
 - Customer name and address.
 - Our invoice number.
 - Our invoice date.
 - Your P.O. number.
 - Quantity, catalogue number, and description of item.
 - Reason for return.
- Upon receipt of your request, a return authorization number will be issued by us and this must be clearly referenced with your return of the new, unused merchandise.
- The return shipment must be coordinated with our Customer Service representative, who will advise the proper mode of transport for the return.
- All returned goods may be subject to a minimum 20% handling charge based on state, condition of goods and reason for return.
- Returns must be shipped prepaid and returned within 10 days after receipt of original shipment.

Returns will not be authorized for:

- Items purchased on a "special order" basis (unless original vendor will accept the return).
- Items that are custom manufactured.
- Goods damaged or bent and without original packaging/shipping documents.

SPECIFICATIONS

All dimensions and shipping weight are approximate. We reserve the right to change specifications or substitute products of equal specifications without notice. HospitalCarts.ca also reserves the right to cease manufacturing or distributing any product without notice. Manufacturer's specifications and prices are subject to change without notice. Merchandise will remain the property of HospitalCarts.ca until complete and final payment is received.

FREIGHT CLASSIFICATION

NOIBN (KD Flat) Rating 70 for shelving or collapsible units unless otherwise specified.

WARRANTY STATEMENT

Our products are warranted to be free from defective material and workmanship under normal use and service for a period of one year from date of original invoice to the customer. During this period, HospitalCarts.ca will repair or replace (at its option) without charge, ex-works plant of manufacture, the equipment or any part thereof which factory inspection discloses to be defective. Shipments of defective material for repair must be sent prepaid. HospitalCarts.ca's

Tech-Seal® finish is warranted against rust for a period of ten years from date of original invoice to the customer. This warranty supersedes any other warranties implied or expressed.